


FOUNDATION PLAN
SCALE: 1/4"=1'-0"

DESIGN CRITERIA:


THE CONSTRUCTION FOR SAID RESIDENCE, WHERE BASIC WIND SPEED IS 140 MILES PER HOUR, IS DESIGNED IN ACCORDANCE WITH: AMERICAN FOREST AND PAPER ASSOCIATION (AF&PA) WOOD FRAME CONSTRUCTION MANUAL FOR ONE AND TWO FAMILY DWELLINGS (WFCM) 2001 EDITION AS WELL AS THE INTERNATIONAL RESIDENTIAL CODE (IRC) 2006 EDITION

NOTES:


1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS, DEPRESSIONS PRIOR TO COMMENCING WORK.
2. DIRT SHALL BE INSTALLED IN 6" LIFTS AND COMPACTED TO 95% PROCTOR.
3. TREAT SOIL BELOW SLAB FOR TERMITES.
4. CONCRETE MIX SHALL BE 3000 PSI, MINIMUM.
5. ALL LUMBER SHOWN FOR REFERENCE ONLY, SEE MFG DWGS.



SECTION A
N.T.S.



SECTION B
N.T.S.



SECTION C
N.T.S.



DAMMON ENGINEERING, INC
EMMETT DAMMON

ARCHITECT
ROBERT SOLBERGER

1095 FLORIDA AVENUE
SLIDELL, LA. 70458
985-649-5832

WEBSITE:
WWW.DAMMONENGINEERING.CX
EMAIL:
DAMMONENG@BELL.SOUTH.NET

ARCHITECTURE
ENGINEERING
STUDIES
PLANNING
INVESTIGATION
EXPERT WITNESS

ADMIRATION BUILDERS

ADMIRATION BUILDERS
3140-42 N. TONITI S
NEW ORLEANS, LA

FOUNDATION PLAN

REV:

SCALE: AS NOTED

JOB#:

DATE: 09-24-07

SHEET

S-1

OF