

FOUNDATION GENERAL NOTES:

- THE INTENT OF THIS PLAN IS TO PROVIDE INFORMATION FOR PLACEMENT OF POST TENSION SYSTEM TENDONS AND WHERE BEARING PLATES, ONLY. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO VERIFY ALL DIMENSIONS, BECK, FILL, AND A MINIMUM QUALITY SHALL BE 40% CLAY AND 60% SANDY MATERIAL PLACED IN LIFTS AND COMPACTED TO MINIMUM 90% STANDARD PROCTOR. FOOTINGS ARE DESIGNED TO BE WITH SOIL PRESSURE OF 2000 LBS PER SQUARE FOOT TO THE DRIVING THESE FEET ARE REQUIRED. IT IS RECOMMENDED THAT OWNER VERIFY THE SIZE AND CAPACITY OF ALL TENDONS AND BEARING PLATES. TENDONS SHALL BE PLACED IN THE CENTER OF THE SLAB AND BE PROTECTED FROM DAMAGE BY COVERING THEM WITH A MINIMUM OF 2\"/>

NEW METAL BUILDING FOUNDATION PLAN


SCALE: 1/4\"/>

GENERAL NOTES:

- COORDINATE STRUCTURAL DRAWINGS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS FOR ALL OPENINGS, RISERS, AND ANY OTHER RELATED ITEMS.
- CONCRETE SHALL BE PLACED THROUGHOUT THE SLAB ON BEAM WITH NOT COMPACT WITHIN 18\"/>

GENERAL NOTES:

- LOCATIONS OF INTERIOR GRADE BEAMS TO BE VERIFIED AGAINST BUILDING MANUFACTURER DRAWINGS PRIOR TO PLACING CONCRETE.
- BLACK OUT FOR INTERIOR COLUMNS NOT SHOWN ON DRAWING FOR CLARITY.
- DESIGN LOAD CAPACITY PER SINGLE PILE IS 6.5 TONS.



SCALE: AS NOTED
 FILE:
 JOB NO. 1901
 DATE: 5-25-08
 SHEET 4
 S-1
 OF 11

DONG PHUONG BAKERY
DAMMON ENGINEERING, INC.
 1005 FLORIDA AVENUE 908-640-8888 SLIDELL, LA. 70468
 DAMMONENGINEERING.COM

FOUNDATION PLAN
 DONG PHUONG BAKERY
 14207 CHEF HWY
 NEW ORLEANS, LA.