



- PLAN NOTES: UNLESS NOTED OTHERWISE:
1. TOP OF SLAB EL. 160'-8"
 2. TOP OF STRUCTURAL STEEL EL. 160'-2"
 3. FLOOR SYSTEM CONSISTS OF LT. WT. CONCRETE ON 1/4" METAL FLOOR DECK, TOTAL THICKNESS EQUALS 4 1/2" REIN. W/6# - 10/10 MIN. PLACE 1" BELOW TOP OF CONCRETE.
 4. ———— INDICATES MOMENT CONNECTION. SEE SHT. S001 FOR DETAILS.
 5. [Hatched Area] INDICATES AREA OF 1/2" METAL ROOF DECK.
 6. W12x22(30) - INDICATES W12x22 BEAM W/30"x6"x4" STUDS WELDED TO TOP OF BEAM. STUDS ARE TO BE EQUALLY SPACED ALONG THE SPAN.

1 ATTIC FRAMING PLAN AT
 S105 EL. 160'-8" W=1'-0"

LOUISIANA ARMY NATIONAL GUARD
 141st FIELD ARTILLERY BATTALION
 READINESS CENTER
 JACKSON BARRACKS NEW ORLEANS, LOUISIANA



2/22/06	PROG. REVIEW #1
3/10/06	PROG. REVIEW #2
3/27/06	PROG. REVIEW #3
4/10/06	PROG. REVIEW #4
5/03/06	PRELIM. DESIGN

MARK	DATE	DESCRIPTION
	05/03/2006	DRAWING ISSUED

NSB PROJECT NO.: 220027

PRELIMINARY DESIGN

DRAWING TITLE:
ATTIC FLOOR FRAMING PLAN AT ELEVATION 160'-0"



DRAWING NUMBER:

S105
 SHEET 19 OF 106

These drawings are conceptual in nature and are not suitable for construction. It is the intent of these documents to clearly delineate the baseline minimum scale, scope and quality of the project. It is the responsibility of the design-builder that he proposed provide for a complete and functional facility responding to relative Army National Guard criteria, recognize industry standards and applicable building codes regardless of the content of these conceptual drawings. Further, it will be the responsibility of the successful design-builder and his architect of record to prepare complete construction documents responding to the fullest intent of the conceptual drawings and specifications.