



Standard Guide for Ice Awls Self-Rescue Technique¹

This standard is issued under the fixed designation F 1766; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide covers the self-rescue technique on ice utilizing the ice awl.

1.2 This guide is one of a series of self-rescue techniques for the ice rescuer.

1.3 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Terminology

2.1 Definitions:

2.1.1 *drysuit, n*—a protective suit that encompasses the wearer, prohibiting water from entering.

2.1.2 *ice awls, n*—a device used for rescue on ice consisting of a sharp spike with a handle.

2.1.3 *immersion suit, n*—a device designed to provide cold water protection and buoyancy by one person in cold water emergencies.

2.1.3.1 *Discussion*—These devices should conform to standards set by the appropriate national regulatory authority, that is, the U.S. Coast Guard in the United States.

2.1.4 *personal flotation device, PFD, n*—a buoyant device suitable for use by one person in water emergencies.

2.1.4.1 *Discussion*—These devices should conform to standards set by the appropriate national regulatory authority, that is, the U.S. Coast Guard in the United States.

3. Significance and Use

3.1 This guide establishes a recommended procedure for

utilizing ice awls as a self rescue technique on ice.

3.2 All persons who are identified as ice rescuers shall meet the requirements of this guide.

3.3 This guide will assist government agencies; state, local or regional organizations; fire departments; rescue teams; and others who are responsible for establishing a minimum performance for personnel who respond to ice emergencies.

3.4 This guide is not intended to be used in isolation, but as a component guide acknowledging many skills and techniques needed to respond at a cold water and ice emergency.

3.5 An ice rescuer shall be wearing an immersion suit, drysuit with PFD, or equivalent cold-water protection and buoyancy to perform these rescues.

4. Procedure

4.1 Upon initial immersion in cold water, the rescuer should cover the mouth and nose to prevent the aspiration of water.

4.2 The rescuer should move to the edge of the opening in the ice.

4.3 Grasp the ice awls placing one in each hand.

4.4 Reach forward onto the ice and strike downward driving the point of the ice awl into the ice.

4.5 Allow feet and legs to float up behind you to the surface, so that you are floating horizontally on the surface of the water.

4.6 While pulling yourself forward onto the ice utilizing the ice awls, keep your horizontal position and add a strong flutter kick.

4.7 Ice conditions may not support the rescuer. It may be necessary to continue alternately stabbing and continuously kicking to reach stronger ice.

4.8 Once in a supportive ice, the rescuer should not stand up.

4.9 Roll to safety in the direction of shore or safer ice.

5. Keywords


5.1 ice; ice awls; ice rescue; ice rescuer; water; water rescue; water rescuer

¹ This guide is under the jurisdiction of ASTM Committee F32 on Search and Rescue and is the direct responsibility of Subcommittee F32.02 on Search and Rescue Management.

Current edition approved June 10, 1997. Published March 1998. Originally published as F 1766 – 97. Last previous edition F 1766 – 97.

The American Society for Testing and Materials takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

 **F 1766**

This standard is copyrighted by ASTM, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).