

- (a) Space adequate for planned resident activities
- (b) Areas sufficient in number and configuration to accommodate the following:
 - (i) Gatherings of resident groups of various sizes
 - (ii) Occurrence of separate and distinct activities
 - (iii) Simultaneous dining and recreational activities

4.2-2.3.3.4 Toilet rooms. Toilet facilities that accommodate resident-operated mobility devices shall be readily accessible to all dining, recreation, lounge, and activity locations.

4.2-2.3.4 Resident Kitchen

If kitchen facilities that permit use by residents, family members, and visitors are provided, see Section 2.3-2.3.4 (Resident and Participant Kitchen) for requirements.

*4.2-2.3.5 Personal Services (Hair Salon/Spa) Areas

4.2-2.3.5.1 If personal services are offered, facilities and equipment for resident hair care and grooming shall be provided separate from resident rooms.

4.2-2.3.5.2 These facilities shall be permitted to be unisex and located adjacent to central resident activity areas, provided that location and scheduling preserve resident dignity.

4.2-2.3.6 Reserved

4.2-2.3.7 Quiet Room in a Resident Community Area

If a quiet room is provided, see Section 2.3-2.3.7 (Quiet Room in a Resident or Participant Community Area) for requirements.

APPENDIX

A4.2-2.3.5 Personal services areas. Consideration should be given to the following for personal services areas:

- a. Mechanical ventilation and exhaust requirements
- b. MERV 7 filter efficiencies
- c. Provision of adjustable sink bowls for shampooing and treatment
- d. Provision of freestanding dryers for residents using resident-operated mobility devices

4.2-2.3.8 Outdoor Activity Spaces

***4.2-2.3.8.1** Outdoor spaces shall be provided for residents, visitors, and staff.

4.2-2.3.8.2 See Section 2.1-3.6.2 (Outdoor Activity Spaces) for additional requirements and information.

■ 4.2-3 Diagnostic and Treatment Areas

4.2-3.1 General

When required for the resident care population or as part of community-based services, see Section 2.3-3 (Diagnostic and Treatment Areas) for requirements.

4.2-3.2 Examination, Observation, and/or Treatment Rooms

If examination, observation, or treatment rooms are provided, see Section 2.3-3.2 (Examination, Observation, and/or Treatment Rooms) for requirements.

4.2-3.3 Rehabilitation Therapy Facilities

If outpatient rehabilitation therapy facilities are provided, see Chapter 5.4 (Specific Requirements for Outpatient Rehabilitation Therapy Facilities) for requirements.

4.2-3.4 Wellness Centers

If wellness facilities are provided, see Chapter 5.3 (Specific Requirements for Wellness Centers) for requirements.

■ 4.2-4 Facilities for Support Services

4.2-4.1 General

See Section 2.3-4.1 (Facilities for Support Services—General) for requirements.

e. Space for spa tubs and provision of staff assistance, including circulation space

A4.2-2.3.8.1 Outdoor activity spaces

- a. Visual access to outdoor activity spaces from indoors should be provided for staff and residents.
- b. Outdoor space(s) should be accessible via short, navigable distances.