



Designation: D 6168 – 97^{e1}

Standard Guide for Selection of the Minimum Set of Data Elements Required to Identify Locations Chosen for the Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids¹

This standard is issued under the fixed designation D 6168; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

^{e1} NOTE—Paragraph 1.5 was added editorially in October 1998.

1. Scope

1.1 This guide² covers factors to consider for the selection of the minimum set of data elements required for the accurate location and cataloging of information collected for geological science (geoscience) investigations, which includes geoecology.

1.1.1 Geoscience investigations include soil surveys, foundation investigations, geologic studies, hydrologic evaluations, environmental appraisals, contamination inquiries, archaeological surveys, and other studies that involve the soil, rock, and contained fluids from the lands surface to any explored depth underground.

1.2 A unique geoscience data location, on or below the earth's surface, can be described by X, Y, and Z coordinates and by that method establish the dimensional relationship to data of a similar nature. Additional location information needed depends upon the type of geoscience data collection locality.

1.2.1 The basic type is a single position described by finite X, Y, and Z coordinates. The X, Y, and Z coordinates uniquely position the location on or below the earth's surface.

NOTE 1—An example is the latitude and longitude in horizontal coordinates and the altitude (or elevation) in vertical distance of a ground-water location or site. Data collected at the site, for example, water levels, are measured by the vertical interval as referenced to the altitude.

1.2.2 Another type of location is described by finite X and Y coordinates that has multiple vertically positioned Z coordinates. This is equivalent to the location type described in 1.2.1, except that multiple vertical dimensions are stated as Z coordinates, rather than vertical intervals.

¹ This guide is under the jurisdiction of ASTM Committee D-18 on Soil and Rock and is the direct responsibility of Subcommittee D18.21 on Ground Water and Vadose Zone Investigations.

Current edition approved Sept. 10, 1997. Published November 1997.

² As defined by ASTM—a guide is a series of options or instructions that do not recommend a specific course of action. The purpose of a guide is to offer guidance, based on a consensus of view-points, but not to establish a fixed procedure.

NOTE 2—An example is latitude, longitude, and multiple altitudes of a soil sampling location or site. Each altitude represents a different sampling position that has the same latitude and longitude coordinate. The upper and lower limit of a sampling interval can be expressed by altitudes.

1.2.3 Another type is a location described by finite X and Y coordinates with multiple Z coordinates that are not vertically oriented from X and Y coordinates.

NOTE 3—An example is a slanted borehole where the top is at a different latitude and longitude coordinate than the sampling positions in the hole. Methods of describing these sampling points are; treat each position as a separate location with finite latitude, longitude, and altitude values; describe the horizontal deviation of the sampling point from the finite latitude and longitude coordinates at the top of the borehole.

1.2.4 Another type is a location with considerable horizontal dimension that cannot be described by a finite X and Y coordinate, however, a single Z coordinate may be acceptable.

NOTE 4—Examples are sinkholes, waste disposal pits, septic systems, underground injection facilities, mines, archaeological sites, and some ponds or lakes. These locations can be described by including additional information that gives the horizontal components of the location along with the latitude, longitude, and altitude coordinates or by multiple sets of X and Y coordinates that encompass the location.

1.3 Additional key data elements are needed to simplify the identification and cataloging of the geoscience data.

1.3.1 These elements describe political entities, data sources, and individual characteristics of the location.

NOTE 5—The data assist in file organization by placing the information into logical categories and to further identify the geoscience location by use of familiar terminology. A carefully designed minimum set of data elements contributes to the recoverability and the future value of the entire data file.

1.4 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

1.5 This guide offers an organized collection of information or a series of options and does not recommend a specific course of action. This document cannot replace education or experience and should be used in conjunction with professional judgment. Not all aspects of this guide may be applicable in all circumstances. This ASTM standard is not intended to represent or replace the standard of care by which the adequacy of a given professional service must be judged, nor should this document be applied without consideration of a project's many unique aspects. The word "Standard" in the title of this document means only that the document has been approved through the ASTM consensus process.

2. Referenced Documents

2.1 ASTM Standards:

- D 420 Guide to Site Characterization for Engineering, Design, and Construction Purposes³
- D 653 Terminology Relating to Soil, Rock, and Contained Fluids³
- D 2487 Classification of Soils for Engineering Purposes (Unified Soil Classification System)³
- D 2488 Practice for Description and Identification of Soils (Visual-Manual Procedure)³
- D 2607 Classification of Peats, Mosses, Humus, and Related Products⁴
- D 3282 Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes³
- D 3740 Practice for Minimum Requirements for Agencies Engaged in the Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction³
- D 4083 Practice for Description of Frozen Soils (Visual-Manual Procedure)³
- D 4220 Practice for Preserving and Transporting Soil Samples³
- D 4427 Classification of Peat Samples by Laboratory Testing³
- D 4448 Guide for Sampling Ground-Water Monitoring Wells⁵
- D 4700 Guide for Soil Sampling from the Vadose Zone³
- D 4879 Guide for Geotechnical Mapping of Large Underground Openings in Rock³
- D 5092 Practice for Design and Installation of Ground-Water Monitoring Wells in Aquifers³
- D 5254 Practice for Minimum Set of Data Elements to Identify a Ground-Water Site³
- D 5299 Guide for the Decommissioning of Ground-Water Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities³
- D 5408 Guide for the Set of Data Elements to Describe a Ground-Water Site; Part 1—Additional Identification Descriptors³
- D 5409 Guide for the Set of Data Elements to Describe a Ground-Water Site; Part 2—Physical Descriptors³
- D 5410 Guide for the Set of Data Elements to Describe a

- Ground-Water Site; Part 3—Usage Descriptors³
- D 5434 Guide for Field Logging of Subsurface Explorations of Soil and Rock³
- D 5474 Guide for Selection of Data Elements for Ground-Water Investigations³
- D 5730 Guide to Site Characterization for Environmental Purposes With Emphasis on Soil, Rock, the Vadose Zone and Ground Water⁶
- D 5911 Practice for the Minimum Set of Data Elements to Identify a Soil Sampling Site⁶

3. Terminology

3.1 *Definitions:* Except as listed or noted below, all definitions are in accordance with Terminology D 653: Additional definitions are in References (1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17).⁷ See Guide D 420, Classification D 2487, Practice D 2488, Classifications D 2607 and D 3282, Practices D 3740, D 4083, and D 4220, Classification D 4427, Guides D 4448, D 4700, and D 4879, Practice D 5092, and Guides D 5299 and D 5434.

3.2 Definitions of Terms Specific to This Standard:

3.2.1 *altitude*—the vertical distance, in feet (or metres), of a level, a point, or an object considered as a point, above or below a reference datum surface, usually mean sea level. The Z coordinate for geoscience locations. The term elevation has been used synonymously with altitude in some segments of the geoscience discipline.

3.2.2 *geological science*—any of the subdisciplinary specialties that are part of the science of geology; for example, geophysics, geochemistry, paleontology, petrology, etc. The term is commonly used in the plural (1).

3.2.3 *geoscience*—a short form, sometimes used in the plural, denoting the collective disciplines of the geological sciences (1).

3.2.4 *geoscience location*—a geographic area or single point where geoscience data are collected and can be uniquely positioned by X, Y, and Z coordinates at the location or some point within the location.

3.2.5 *key data elements*—as used in this guide, information that is essential for the accurate location and cataloging of information collected for geoscience investigations.

3.2.6 *latitude*—the coordinate representation that indicates locations on the surface of the earth using the earth's equator as the respective latitudinal origin. The X coordinate for geoscience locations.

3.2.7 *longitude*—the coordinate representation that indicates locations on the surface of the earth using the prime meridian (Greenwich, England) as the longitudinal origin. The Y coordinate for geoscience locations.

4. Significance and Use

4.1 Adequately documented geoscience data are beneficial to studies utilizing traditional and computer technology for conducting resource surveys and in analyzing environmental concerns.

³ Annual Book of ASTM Standards, Vol 04.08.

⁴ Discontinued; see 1992 Annual Book of ASTM Standards, Vol 04.08.

⁵ Annual Book of ASTM Standards, Vol 11.04.

⁶ Annual Book of ASTM Standards, Vol 04.09.

⁷ The boldface numbers given in parentheses refer to a list of references at the end of the text.

4.1.1 Geoscience data that include the standard coordinates, pinpoint the location of the information on or below the earth's surface and by that establish the dimensional relationship to data of a similar nature (see 5.2).

NOTE 6—Some investigations destroy the sample in the process. As such the information can not be duplicated by resampling. The data and the original location of the tested sample may be the only remaining result.

4.1.2 Geoscience data that include “key” information has an enhanced capability for acceptable verification, as each additional data item strengthens the uniqueness for singular identification.

4.1.2.1 Key data categories included for unique identification of the geoscience information consist of political regimes, source of data, and location characteristics (see 5.3).

4.2 Use of a standardized minimum set of data elements by project investigators increase the usefulness of the geoscience information, in that the material can more easily be interchanged.

4.2.1 Data verification, essential in quality control, can be more routine when geoscience locations are accurately identified.

4.2.2 Key items allow for ease of selection by placing the geoscience data into logical categories, such as counties, resource extraction locations, and source agencies.

4.2.3 Data files organized by use of key data elements, whether stored in cabinets or a computer file, are less complicated to find.

4.2.4 Geoscience data are usually collected for an ongoing project, however, the value is greatly increased when these data are available for future studies.

5. Documentation

5.1 *Introduction*—The list of “minimum set of data elements” varies depending upon the type of geoscience information. The differences are in the sections “coordinates and related data” and “individual location characteristics” (see Fig. 1) (**18, 19, 20, 21**).

5.2 *Coordinates and Related Data*—This category allows the geoscience location to be positioned on the earth's surface and subsurface by universally recognized coordinates and numerical dimensions. Each coordinate system should be identified and accompanied by a precision or accuracy value. The U.S. Environmental Protection Agency (EPA) has guidance documents concerning their policy for locating data points or sites. Publication “Representation of Geographic Point Locations for Information Interchange,” FIPS PUB 70-1 contains additional guidance (**22, 23, 24, 25**) (See Practices D 5254, and D 5911).

5.2.1 *X-Coordinate*—Universally latitude, however, most coordinate systems are convertible to latitude (See Practices D 5254 and D 5911).

5.2.2 *Y-Coordinate*—Universally longitude, however, most coordinate systems are convertible to longitude (See Practices D 5254 and D 5911).

5.2.3 *Z-Coordinate*—Altitude (elevation) or other system that can be related to mean sea level (See Practices D 5254 and D 5911).

5.2.4 *Horizontal Dimensions*—Information required for a geoscience location that cannot be completely described by the X and Y coordinate position.

5.2.4.1 *Size Measurements*—Distance, in feet or metres, from the X and Y coordinate position for length and width of the geoscience location.

5.2.4.2 *Offset Angles*—Angle and bearing from the X and Y coordinate position for slanted holes, outcrop slopes, mine excavations, etc.

5.3 Political Entities:

NOTE 7—Political entities or regimes are established by a governmental agency (national or local) for the purpose of regulating a land area.

5.3.1 *Introduction*—A description of the governmental divisions helps in the identification and organization of data for geoscience locations. The divisions for the United States (below Federal) are state, county, and local. (**18, 19, 20, 21, 26, 27, 28**) (See Practices D 5254 and D 5911).

NOTE 8—For countries other than the United States present the divisions needed for detailed identification.

5.3.2 State or Equivalent:

5.3.2.1 *State*—This is the first political subdivision below the federal. These can be named provinces, districts, possessions, territories, or even counties.

NOTE 9—The country name may be required when the file of geoscience data are located in more than one nation.

5.3.3 County or Equivalent:

5.3.3.1 *County or Parish*—In the United States, this is the subdivision below the state level. In Alaska this subdivision is borough or census area. Some states (Maryland, Missouri, Nevada, and Virginia) have independent cities.

NOTE 10—A local subdivision may be needed to adequately describe the geoscience location, such as city, town, village, municipality, township, or borough.

5.4 Source Identifiers:

NOTE 11—Source identifiers are information about a location or site that assists in describing the origin or ownership of the data.

5.4.1 *Introduction*—Each data element contributes to the unique identity of the geoscience location, and also helps in the retrieval of the information. (**18, 19, 20, 21**) (See Practices D 5254 and D 5911).

5.4.2 *Project Identification*—This information is useful when these data are gathered for a specific project.

5.4.3 *Owners' Name*—Each geoscience location has a property owner that is an important part of the identification.

5.4.4 *Source Agency or Company and Address*—Much of the geoscience data is gathered by agencies or companies that are not the property owners but that are probably the repository for the data files.

5.4.5 *Unique Identification*—This is an identification assigned by the original collector of the data or by the agency or company that is the repository of the primary file.

NOTE 12—Commonly, the identification is a combination of letters and numbers that symbolizes the project or county with code letters and the order of data collection by a sequence number. Another example is a number formed from the combination of township, range, section, and section subdivisions that is an approximate geoscience data location, but

LOCATION DESCRIPTION DATA ELEMENT		DATA REFERENCED TO A FINITE LOCATION	DATA LOCATED BY MULTIPLE Z LEVELS AND SINGLE X AND Y COORDINATES	SLANTED OR NON-VERTICAL SAMPLE LOCATION	HORIZONTAL DIMENSIONS PARTLY IDENTIFY SAMPLE LOCATION
COORDINATES & RELATED DATA	X-COORDINATE	SINGLE	SINGLE	SINGLE OR MULTIPLE	SINGLE OR MULTIPLE
	Y-COORDINATE	SINGLE	SINGLE	SINGLE OR MULTIPLE	SINGLE OR MULTIPLE
	Z-COORDINATE	SINGLE	MULTIPLE	MULTIPLE	SINGLE
	HORIZONTAL SIZE, ANGLE, & BEARING	NO	NO	POSSIBLE	POSSIBLE
POLITICAL ENTITIES	STATE OR EQUIVALENT	YES	YES	YES	YES
	COUNTY OR EQUIVALENT	YES	YES	YES	YES
SOURCE IDENTIFIERS	PROJECT IDENTIFICATION	YES	YES	YES	YES
	OWNERS' NAME	YES	YES	YES	YES
	SOURCE AGENCY OR COMPANY AND ADDRESS	YES	YES	YES	YES
	UNIQUE IDENTIFICATION	YES	YES	YES	YES
	DATE OF FIRST RECORD	YES	YES	YES	YES
INDIVIDUAL LOCATION CHARACTERISTICS	SETTING	YES	YES	YES	YES
	TYPE OF LOCATION	YES	YES	YES	YES
	USE OF LOCATION	YES	YES	YES	YES
	REASON FOR DATA COLLECTION	YES	YES	YES	YES
	DEPENDENT ON DATA CATEGORY	POSSIBLE	POSSIBLE	POSSIBLE	POSSIBLE

FIG. 1 Guide for Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for the Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids

not an exact coordinate (29).

5.4.6 *Date of First Record*—The date establishes the time frame for the proper identification of the geoscience information.

5.5 *Individual Location Characteristics:*

5.5.1 *Introduction*—The location characteristics give specific information about the geoscience data collection location

and contribute to the organization and cataloging of the files. (18, 19, 20, 21, 30, 31, 32, 33, 34, 35) (See Practices D 5254 and D 5911).

5.5.2 *Setting*—This refers to the topographic or geomorphic features near the geoscience location.

5.5.3 *Type of Location*—The type of location is dependent upon the category of geoscience data. Basic groupings are geoscience test, resource extraction facility, and waste storage.

5.5.4 *Use of Location*—The use of location is dependent upon the category of geoscience data. Basic groupings include monitoring, resource extraction, and construction.

5.5.5 *Reason for Data Collection*—The reason for data collection is dependent upon the category of geoscience data. Basic groupings include regulatory, research, and resource evaluation.

5.5.6 *Category Specific Geoscience Data Elements*—Many categories of investigations require the addition of one or more data elements to fully identify and catalog the geoscience information.

NOTE 13—An example of investigation specific minimum set of data elements is given in a report by the Environmental Protection Agency (EPA) titled “Definitions for the Minimum Set of Data Elements for Ground Water Quality” (21). The additional information assists in cataloging ground-water quality data. Also see Practice D 5254, Guides D 5408, D 5409, D 5410, and D 5474, and Practice D 5911.

5.5.6.1 A cataloging system for denoting the geographic area of a hydrologic location.

NOTE 14—For example, the hydrologic unit cataloging code used in the United States to identify the surface stream basin where the ground-water site is found (30, 31).

5.5.6.2 Use of material extracted from a resource location.

NOTE 15—For example, a statement of the use of the water or rock extracted from a location.

5.5.6.3 The cultural designation for an archaeological location.

NOTE 16—For example, a Clovis or a Hopewellian and Mississippian site.

5.5.6.4 Identification of material deposited at a waste disposal facility.

NOTE 17—For example, municipal solid wastes or radioactive materials.

5.5.6.5 Identification of the contamination at a polluted location.

NOTE 18—For example, hydrocarbons or radionuclides.

5.5.6.6 Identification of the type of laboratory analyses results.

NOTE 19—For example grain size, atterburg limits, or water content.

6. Keywords

6.1 coordinates; geoscience investigation; geoscience location; key data elements; rock; soil; underground fluids

REFERENCES

- (1) Bates, R. L., and Jackson, J. A., “Glossary of Geology, Third Edition,” *American Geological Institute*, Alexandria, VA 1987.
- (2) Soil Science Society of America, “Glossary of Soil Science Terms,” SSA, Madison, WI, 1987.
- (3) van der Leedan, F., Troise, F.L., and Todd, D.K., *The Water Encyclopedia, Geraghty & Miller Ground-Water Series*, 2nd Edition, Third Printing 1991, Lewis Publishers, Inc., Chelsea, MI, 1990.
- (4) McGraw-Hill, *Dictionary of Scientific and Technical Terms, Fourth Edition*, McGraw-Hill, 1989.
- (5) U.S. Department of the Interior, “*Earth Manual, Water Resources Technical Publication, Second Edition*,” Water and Power Resources Service, 1980.
- (6) Bureau of Reclamation, “*Ground-Water Manual, A Water Resources Technical Publication, Revised Reprint*,” U.S. Department of Interior, Bureau of Reclamation, Washington, DC, 1981.
- (7) Campbell, M.D., and Lehr J.H., “*Water Well Technology*,” McGraw-Hill, New York, 1973.
- (8) Heath, R.C., “Basic Ground-Water Hydrology, *U.S. Geological Survey Water-Supply Paper 2220*, 1983.
- (9) Lohman, S.W., “Ground-Water Hydraulics,” *U.S. Geological Survey Professional Paper 708*, 1972.
- (10) Fetter, C.W., *Applied Hydrogeology*, Second Edition: Macmillan Publishing Company, 866 Third Avenue, New York, NY, 1988.
- (11) Freeze, R.A., and Cherry, J.A., *Groundwater*, Prentice Hall, Englewood Cliffs, NJ, 1979.
- (12) *Handbook of Ground-Water Development*: Roscoe Moss Co., Los Angeles, CA, Published by John Wiley & Sons, Inc., New York, NY, 1990.
- (13) Anderson, Keith E., *Water Well Handbook*; Fourth Edition, Missouri Water Well and Pump Contractors Association, Inc., Rolla, MO, 1971.
- (14) Barcelona, M.J., Gibb, J.P., Helfrich, J.A., and Garske, E.E., “*Practical Guide for Ground-Water Sampling; Office of Ground-Water Protection, U.S. EPA, EPA/600/2-85/104*,” Robert S. Kerr Environmental Research Laboratory, Ada, OK, February 1985.
- (15) Casagrande, A., “Classification and Identification of Soils, *Transactions*,” ASCE, 1948.
- (16) Boulding, J.R., *Description and Sampling of Contaminated Soils, A Field Pocket Guide*, Center for Environmental Research Information, U.S. EPA, EPA/625/12-91/002, Cincinnati, OH, 1991.
- (17) Boulding, J.R., “*Description and Sampling of Contaminated Soils, A Field Guide, Second Edition*,” Lewis Publishers, Boca Raton, FL, 1994.
- (18) Morgan, C.O., “ASTM Standards for Describing Ground-Water Sites; Proceedings from the International Workshop on Development of Water-Related Information Systems, Washington, DC, May 19-20, 1993,” Sponsored by International Association of Hydrogeologists, American Institute of Hydrology, USGS, and UNESCO, Paris, 1995.
- (19) Mathe, S. B., ed., *National Water Information System User’s Manual*, Vol 2, Chapter 4 “Ground-Water Site Inventory System,” U.S. Geological Survey, Open-File Report 89-587, 1990.
- (20) Texas Natural Resources Information System, *Ground-Water Data INTERFACE, Users Reference Manual*, Texas Natural Resources Information System, November 20, 1986.
- (21) U.S. Environmental Protection Agency (EPA), *Definitions for the Minimum Set of Data Elements for Ground Water Quality, EPA/813/B-92-002*, U.S. EPA Office of Ground Water and Drinking Water, Washington, DC, 1992.
- (22) U.S. Department Of Commerce, “Representation of Geographic Point Locations for Information Interchange,” *Federal Information Standards (FIPS) Publication 70-1*,” National Institute for Standards and Technology, Washington, DC, June 23, 1986.
- (23) U.S. Environmental Protection Agency (EPA), *Locational Data Policy Implementation Guidance: Guide to the Policy, EPA/220/B-92-008*, U. S. EPA Office of Administrative and Resources Management (PMD-211D), Washington, DC, 1992.

- (24) U.S. Environmental Protection Agency (EPA), *Locational Data Policy Implementation Guidance: Guide to Selecting Latitude/Longitude Collection Methods*, EPA/220/B-92-008, U. S. EPA Office of Administrative and Resources Management (PMD-211D), Washington, DC, 1992.
- (25) U.S. Environmental Protection Agency (EPA), *Locational Data Policy Implementation Guidance: Guide—Global Positioning System Technology and Its Application In Environmental Programs—GPS Primer*, EPA/600/R-92/036,” U. S. EPA Center for Environmental Research Information, Cincinnati, OH, 1992.
- (26) U.S. Department of Commerce, *American National Standard Codes for the Representation of Names of Countries, Dependencies, and Areas of Special Sovereignty for Information Interchange, Federal Information Standards (FIPS) Publication 104-1*, National Institute for Standards and Technology, Washington, DC, May 12, 1986.
- (27) U.S. Department of Commerce, *Codes for the Identification of the States, the District of Columbia and Outlying Areas of the United States, and Associated Areas, Federal Information Standards (FIPS) Publication 5-2*, National Institute for Standards and Technology, Washington, DC, May 28, 1987.
- (28) U.S. Department of Commerce, *Counties and Equivalent Entities the United States, Its Possessions, and Associated Areas, Federal Information Standards (FIPS) Publication 6-4*, National Institute for Standards and Technology, Washington, DC, August 31, 1990.
- (29) Stewart, L.O., *Public Land Survey*, Iowa State University Press, Ames, Iowa, 1936.
- (30) Seaber, P.R., Kapinos, F.P., and Knapp, G.L., State Hydrologic Unit Maps, *U.S. Geological Survey, Open-File Report 84-708*, 1984.
- (31) U.S. Geological Survey, “Codes for the Identification of Hydrologic Units in the United States and the Caribbean Outlying Areas,” *U.S. Geological Survey, Circular 878-A*, 1982.
- (32) Cohee, George V., *Standard Stratigraphic Code Adopted by AAPG, Committee on Standard Stratigraphic Coding*, American Association of Petroleum Geologists Bulletin, Vol 51, No. 10, October 1967, p. 2146-2151.
- (33) Edwards, M.D. and Josefson, B.M., “Identification codes for organizations listed in computerized data systems of the U.S. Geological Survey,” *U.S. Geological Survey, Open-File Report 82-921*, 1982.
- (34) Perry, R.A. and Williams, O.O., “Data Index Maintained by the National Water Data Exchange,” *U.S. Geological Survey, Open-File Report 82-327*, 1982.
- (35) U.S. Department of Agriculture, “*Atlas of River Basins of the United States*,” Soil Conservation Service, 82 maps, 1970.

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).