


OR SYSTEM CONSISTS OF LT. WT. CONCRETE ON 1/2" METAL FLOOR DECK. TOTAL THICKNESS EQUALS 4 1/2". REIN. W/6#6 - 10/10 W.W.M. PLACE 1" BELOW TOP OF CONCRETE.

4. -M-M- - INDICATES MOMENT CONNECTION. SEE SHT. S301 FOR DETAILS.

5. - - - - - INDICATES AREA OF 8" CONCRETE SLAB CAST ON TOP OF STEEL BEAMS. REIN. SLAB W/ #4@9" EACH WAY TOP & BOTTOM. CHANGES TOP AND BOTTOM REINFORCING TO PROVIDE 4" SPACING.

6. W12x22(30) - INDICATES W12x22 BEAM W/30"x4" STUDS WELDED TO TOP OF BEAM. STUDS ARE TO BE EQUALLY SPACED ALONG THE SPAN.

**SECOND FLOOR FRAMING PLAN**  
W=1'-0"



**LOUISIANA ARMY NATIONAL GUARD  
141st FIELD ARTILLERY BATTALION  
READINESS CENTER**  
JACKSON BARRACKS NEW ORLEANS, LOUISIANA



2/22/06	PROG. REVIEW #1
3/10/06	PROG. REVIEW #2
3/27/06	PROG. REVIEW #3
4/10/06	PROG. REVIEW #4
5/03/06	PRELIM. DESIGN

MARK	DATE	DESCRIPTION
	05/03/2006	DRAWING ISSUED

NGB PROJECT NO.: 220027

**PRELIMINARY DESIGN**

DRAWING TITLE:  
**SECOND FLOOR FRAMING PLAN**

DRAWING NUMBER:

**S102**  
SHEET 16 OF 106

These drawings are conceptual in nature and are not suitable for construction. It is the intent of these documents to clearly delineate the baseline minimum scope, scale, and quality of the project. It is the responsibility of the design-builder that his proposal provides for a complete and functional facility responding to relative Army National Guard criteria, recognize industry standards and applicable building codes regardless of the content of these conceptual drawings. Further, it will be the responsibility of the successful design-builder and his architect of record to prepare complete construction documents responding to the fullest intent of the conceptual drawings and specifications.



**MORPHY  
MAKOPOLSKY  
INCORPORATED**  
1000 PINE BLVD  
SUITE 200  
METairie, LA 70002  
(504) 448-1317  
FAX (504) 448-1317