



- PLAN NOTES, UNLESS NOTED OTHERWISE:
1. TOP OF SLAB EL. 131'-4"
 2. TOP OF STEEL EL. 130'-11 1/4"
 3. FLOOR SYSTEM CONSISTS OF LT. WT. CONCRETE ON 15" METAL FLOOR DECK. TOTAL THICKNESS EQUALS 4"6" REIN. W/6x6 - 10/10 W.W.M. PLACE 1" BELOW TOP OF CONCRETE.
 4. -H-H- - INDICATES MOMENT CONNECTION. SEE SHT. S001 FOR DETAILS.
 5. ROOF SYSTEM FROM COLUMN LINE A TO COLUMN LINE E TO CONSIST OF 15" METAL ROOF DECK. SEE ARCH. DRAWINGS FOR INSULATION AND ROOFING.
 6. W12x22(30) - INDICATES W12x22 BEAM W/30"x6"x4" STUDS HELD TO TOP OF BEAM. STUDS ARE TO BE EQUALLY SPACED ALONG THE SPAN.

1 THIRD FLOOR & ATTIC FRAMING PLAN
S103 W-1'-0"

LOUISIANA ARMY NATIONAL GUARD
141st FIELD ARTILLERY BATTALION
READINESS CENTER
JACKSON BARRACKS NEW ORLEANS, LOUISIANA



MARK	DATE	DESCRIPTION
▲	2/22/06	PROG. REVIEW #1
▲	3/10/06	PROG. REVIEW #2
▲	3/27/06	PROG. REVIEW #3
▲	4/10/06	PROG. REVIEW #4
▲	5/03/06	PRELIM. DESIGN

MARK DATE DESCRIPTION
DRAWING ISSUED: 05/03/2006

NSB PROJECT NO.: 220027

PRELIMINARY DESIGN

DRAWING TITLE:
FRAMING PLAN AND PART ATTIC FRAMING PLAN

DRAWING NUMBER:
S103

SHEET 17 OF 106

These drawings are conceptual in nature and are not suitable for construction. It is the intent of these documents to clearly delineate the baseline minimum scope, scale, and quality of the project. It is the responsibility of the design-builder that he provide for a complete and functional facility responding to relative Army National Guard criteria, recognized industry standards and applicable building codes regardless of the content of these conceptual drawings. Further, it will be the responsibility of the successful design-builder and his architect of record to prepare complete construction documents responding to the fullest intent of the conceptual drawings and specifications.

