



VEHICLE MAINTENANCE BUILDING (OMS 12) FLOOR PLAN - PLUMBING



**GENERAL NOTES THIS SHEET:**

- A. REMOVE EXISTING PLUMBING FIXTURE AND REPLACE WITH NEW AS INDICATED ON THIS SHEET. SEE P-601 FOR PLUMBING FIXTURE SCHEDULE AND SPECIFICATIONS, 15400 FOR FIXTURE REQUIREMENTS.
- B. ALL HW, CW AND VENT PIPING SHALL BE RUN ABOVE CEILING AND/OR IN WALLS.
- C. VERIFY EXACT LOCATION OF EXISTING UTILITIES ON SITE.

**SPECIFIC NOTES THIS SHEET:**

- 1) REMOVE EXISTING WATER CLOSET AND REPLACE WITH NEW P1A FOR ADA USE FIXTURE. CONNECT TO EXISTING WASTE, VENT AND PROVIDE NEW STOP VALVE.
- 2) REMOVE EXISTING LAVATORY AND REPLACE WITH NEW P2A FIXTURE. CONNECT TO EXISTING WASTE, HOT, COLD WATER PIPING. PROVIDE NEW STOP VALVE.
- 3) REMOVE EXISTING URINAL AND REPLACE WITH NEW P3 FIXTURE. CONNECT TO EXISTING WASTE AND COLD WATER PIPING.
- 4) REMOVE EXISTING ADA URINAL AND REPLACE WITH NEW P3A FIXTURE. CONNECT TO EXISTING WASTE AND COLD WATER PIPING.
- 5) REMOVE EXISTING STAINLESS STEEL 2 COMPARTMENT SINK AND REPLACE WITH NEW P4 FIXTURE. CONNECT TO EXISTING WASTE, HOT AND COLD WATER PIPING.
- 6) REMOVE EXISTING SERVICE SINK AND REPLACE WITH NEW P5 FIXTURE. CONNECT TO EXISTING WASTE, HOT AND COLD WATER PIPING.
- 7) REMOVE EXISTING ELECTRIC WATER COOLER. REPLACE WITH NEW P6 FIXTURE. CONNECT TO EXISTING WASTE AND COLD WATER PIPING.
- 8) REMOVE EXISTING SHOWER AND REPLACE WITH NEW P7A FIXTURE. CONNECT TO EXISTING WASTE, HOT AND COLD WATER PIPING.
- 9) REMOVE EXISTING EMERGENCY SHOWER AND REPLACE WITH NEW P8 FIXTURE. CONNECT TO EXISTING COLD WATER PIPING.
- 10) EXISTING 50 GAL. GAS WATER HEATER TO BE REMOVED AND REPLACE WITH NEW 50 GAL. WATER HEATER. CONNECT TO EXISTING HOT AND COLD WATER PIPING AND GAS PIPING. PROVIDE NEW FLUE THRU ROOF.
- 11) EXISTING FREE STANDING ACID SINK TO BE REMOVED. REPLACE WITH NEW ACID SINK AND CONNECT TO EXISTING WASTE, HOT AND COLD WATER PIPING.
- 12) EXISTING AIR COMPRESSOR TO BE REMOVED AND REPLACED WITH NEW AIR COMPRESSOR. COORDINATE WITH OWNER.
- 13) EXISTING OIL LUBE SYSTEM TO BE REMOVED AND REPLACED WITH NEW SYSTEM. COORDINATE WITH OWNER.
- 14) EXISTING OIL LUBE HOSE REELS AND OIL LUBE GUN TO BE REMOVED AND REPLACE WITH NEW SYSTEM. COORDINATE WITH OWNER.
- 15) EXISTING COMPRESSED AIR STATION TO BE REMOVED AND REPLACED WITH NEW COMPRESSED AIR STATION. COORDINATE WITH OWNER.
- 16) EXISTING WASTE OIL SINK TO BE REMOVED AND REPLACED WITH NEW WASTE OIL SINK. CONNECT TO EXISTING WASTE PIPING. COORDINATE WITH OWNER.
- 17) EXISTING COLD WATER HOSE BIBB TO BE REMOVED AND REPLACED WITH NEW HOSE BIBB. COORDINATE WITH OWNER.
- 18) EXISTING HOT WATER HOSE BIBB TO BE REMOVED AND REPLACED WITH NEW HOSE BIBB. COORDINATE WITH OWNER.
- 19) EXISTING TRENCH TO REMAIN. CLEAN DRAIN AND REPLACE ANY MISSING GRATES. COORDINATE WITH OWNER.

ALL WORK SHOWN THIS SHEET SHALL BE UNDER ADD ALTERNATE 3

**LUCIEN T. VIVIEN JR. & ASSOC., INC.**  
CONSULTING ENGINEERS  
1221 HICKORY AVENUE HARAHAN, LA 70123 (504) 228-5409

These drawings are conceptual in nature and are not suitable for construction. It is the intent of these documents to clearly delineate the baseline minimum scale, scope and quality of the project. It is the responsibility of the design-builder that his proposal provides for a complete and functional facility responding to relative Army National Guard criteria, recognized industry standards and applicable building codes regardless of the content of these conceptual drawings. Further, it will be the responsibility of the successful design-builder and his architect of record to prepare complete construction documents responding to the fullest intent of the conceptual drawings and specifications.



△	2/22/06	PROG. REVIEW #1
△	3/10/06	PROG. REVIEW #2
△	3/27/06	PROG. REVIEW #3
△	4/10/06	PROG. REVIEW #4
△	5/3/06	PRELIM. DESIGN

MARK	DATE	DESCRIPTION
DRAWING ISSUED: 05/03/2006		

NOB PROJECT NO.: 220027

PRELIMINARY DESIGN

DRAWING TITLE:  
OMS 12  
BUILDING  
FLOOR PLAN -  
PLUMBING ALT. 3

DRAWING NUMBER: