



1ST LEVEL FLOOR PLAN
SCALE 1/4" = 1'-0"

** ALL 6" EXTERIOR WALLS **

IRC 2021
WFCM
ECC 2021
NEC 2020
140 MPH WIND SPEED
EXPOSURE B
DESIGN MEETS THE PRESCRIPTIVE
ENERGY CODE REQUIREMENTS
CLIMATE ZONE: 2
MANUAL J CALCULATIONS BY OTHERS



CABINET ELEVATIONS
SCALE 1/4" = 1'-0"

AREA	
1ST LEVEL LIVING AREA	2120
2ND LEVEL LIVING AREA	767
TOTAL LIVING AREA	2887
GARAGE	N/A
PORCHES	527
TOTAL AREA UNDER B'M	3414
GROUND LEVEL	2469

Although every effort has been made in preparing these plans, the contractor must check all details for accuracy or errors and be responsible for same. Purchaser assumes the risk of any errors, omissions or mistakes during construction due to the fact that DesignTech does not perform field supervision nor select building materials, subcontractors and/or products/equipment. All notes, specifications and other information on the plans are included as instructed by and/or with the approval of Purchaser and without warranty of any kind whatsoever. PLANS HAVE BEEN PREPARED FOR USE BY KNOWLEDGEABLE AND EXPERIENCED LICENSED CONTRACTORS. This drawing contains valuable, confidential, proprietary, trade secret information of DesignTech Residential Planners, Inc. No reproduction or other use of the drawing or any of its contents is permitted without consent of DesignTech Residential Planners, Inc.

RESIDENCE IS LOCATED IN A WINDBORNE DEBRIS PROTECTION REGION

THERMAL COMPONENT CRITERIA (U-FACTOR AND R-VALUE) (MAX. SHGC = 0.25 FOR GLAZING)			
MAXIMUM GLAZING PENETRATION U-FACTOR	MIN INSULATION R-VALUE		
	GLGS.	WALLS	FLOORS
0.40	R-38	R-13	R-13

R-8 DUCT INSULATION
ATTIC ACCESS INSULATED
INSULATE HOT & COLD WATERLINE IN UNCONDITIONED ATTIC AND CRAWSPACES.
FURR OUT 2" RAFTERS AS REQUIRED FOR BATT INSULATION AT CATHEDRAL CEILINGS OR USE SPRAYED FOAM INSULATION IF ACCEPTABLE.

- NOTES
- CONTRACTOR SHALL SELECT WINDOW & DOOR PRODUCTS MEETING THE ENERGY EFFICIENCY REQUIREMENTS OF THE BUILDING CODE (BASED ON IRC 2021 CLIMATE ZONE 2 - U-FACTOR-0.40 MAX. SHGC-0.25 MAX)
 - CONTRACTOR SHALL SELECT WINDOW & DOOR PRODUCTS MEETING WIND DESIGN PRESSURE REQUIREMENTS OF R603 GARAGE DOOR SHALL BE RATED TO MEET WIND LIMITATIONS AS PER R 3022D
 - PER R3011 DOORS BETWEEN GARAGE & RESIDENCE SHALL BE 20-MINUTE FIRE RATED DOORS (INCLUDING ATTIC STAIRS). ALSO PER R302.5 SELF CLOSING.
 - SAFETY GLAZING (TEMPERED GLASS) IS REQUIRED AT LOCATIONS IDENTIFIED IN R308.4 EX. GLAZING WITHIN 24" OF DOORS & OVER TUBS
 - PER R307.2 GARAGE SHALL BE SEPARATED FROM RESIDENCE BY NOT LESS THAN 1/2" GYPSUM BOARD APPLIED TO THE GARAGE SIDE OF WALLS AND CEILING. GARAGES BENEATH HABITABLE ROOMS ABOVE SHALL BE SEPARATE BY NOT LESS THAN 5/8" TYPE X GYPSUM BOARD OR EQUIVALENT.
 - RAIL INDICATES GUARD RAIL AT PORCHES & GUARDRAIL WITH HANDRAIL AT STAIRS
 - OPENING IN THE RESIDENCE SHALL BE PROTECTED BY 20 MIN RATED DOORS.
 - IF REQUIRED ATTIC ACCESS (IRC-R807) IS LOCATED IN THE GARAGE, THE REQUIRED 1/2" GYPSUM WILL BE APPLIED TO CEILING AND DROP DOWN STAIR MUST BE 20 MIN RATED.
- PROTECTION OF APPLIANCE IN GARAGE IS REQUIRED.

WINDOW SCHEDULE

** ALL WINDOWS ARE IMPACT GLASS WINDOWS **

MARK	DESCRIPTION	HDR
AA	3060 VINYL SH.	8'-0"
BB	2-3060 VINYL SH.	8'-0"
CC	4020 VINYL FIXED GLASS	8'-0"
DD	5040 VINYL FIXED TEMPERED GLASS	8'-0"
EE	3060 VINYL CASEMENT	8'-0"
FF	5060 VINYL FIXED TEMPERED GLASS	8'-0"
GG	4060 VINYL FIXED TEMPERED GLASS	8'-0"
HH	2040 VINYL CASEMENT	8'-0"
II	3056 VINYL SH.	8'-0"
JJ	3056 VINYL SH. TEMPERED	8'-0"
KK	3056 VINYL CASEMENT	8'-0"

DOOR SCHEDULE

MARK	WIDTH	HEIGHT	THICK.	DESCRIPTION
1	6'-0"	8'-0"	1 3/4"	SEE ELEVATION
2	3'-0"	8'-0"	1 3/8"	RAISED PANEL INTERIOR
3	2'-4"	8'-0"	1 3/8"	RAISED PANEL INTERIOR
4	4'-0"	8'-0"	1 3/8"	PR. 2080 RAISED PANEL INT.
5	3'-0"	8'-0"	1 3/8"	PR. 1680 RAISED PANEL INT.
6	2'-4"	8'-0"	1 3/8"	RAISED PANEL POCKET
7	2'-8"	6'-8"	1 3/8"	RAISED PANEL INTERIOR
8	2'-4"	6'-8"	1 3/8"	RAISED PANEL INTERIOR
9	1'-6"	6'-8"	1 3/8"	RAISED PANEL INTERIOR
10	4'-0"	6'-8"	1 3/8"	PR. 2068 RAISED PANEL INT.
11	2'-8"	6'-8"	1 3/4"	RAISED PANEL EXTERIOR
12	3'-6"	8'-0"	1 3/4"	1 LT. FRENCH EXTERIOR

1ST LEVEL FLOOR PLAN

PLANS FOR:
JAY & WENDY BADEAUX
218 MARLIN DRIVE, RIGOLETS ESTATES S/D
ST. TAMMANY PARISH, LA

HOUSE PLANS by
DesignTech
OF LOUISIANA, LLC
St. Tammany Parish, LA.
SLIDELL 985-847-0600

DATE
10-8-25

CODE	LIVING	AREA U. B.	INDEX
C4	2887	3414	1339

DESIGNED BY	FINISHED BY	CHECKED BY	SHEET SIZE
DMH	JMC	DMH	24" X 36"

Copyright © 2025 an unpublished work by DesignTech of LA, LLC
ALL RIGHTS RESERVED.
EMAIL: houseplans@designtechusa.com