

1 FIRE RATING PARTITION PLAN-LEVEL 1
SCALE: 1/8"= 1'-0"

TYPE 1



1. (1) LAYER 5/8" GYP. EACH SIDE
2. ACOUSTICAL INSULATION WHERE SHOWN IN PLAN.
3. 2X4 WOOD STUD 16" O.C.

TYPE 2



1. (1) LAYER 5/8" GYP. ONE SIDE
2. ACOUSTICAL INSULATION WHERE SHOWN IN PLAN.
3. 2X4 WOOD STUD 16" O.C.

TYPE 3



1. (1) LAYER 5/8" GYP. EACH SIDE
2. ACOUSTICAL INSULATION WHERE SHOWN IN PLAN.
3. 2X6 WOOD STUD 16" O.C.

PARTITION TYPE LEGEND:
NOTE: ALL WALLS TO EXTEND MIN. 6" ABOVE CEILING U.N.O.

TYPICAL WALL

TYPICAL PARTITION WITH ACOUSTICAL INSULATION

1 1 HR FIRE-RATED PARTITION, FIRE SEALED AND BLOCKED AS REQUIRED.

NOTES
1. ALL INTERIOR PARTITIONS ARE TYPE 1 UNLESS NOTED OTHERWISE.
2. ALL INTERIOR STUDS ARE 2X4 WOOD @16" O.C. MAX. TYP.
3. 1 HR FIRE-RATED PARTITIONS TO COMPLY WITH UL DESIGN NO. U465.

SEE PLAN FOR LOCATIONS.

DAMMON ENGINEERING, INC.
LOUISIANA & MISSISSIPPI
www.dammonengineering.com
info@dammonengineering.com
PH: 985.649.5832
Chief Engineer: Brian Mistich, PE
5545 Oak Street Trail
Slidell, LA 70458

REVISIONS

#	DESCRIPTION	DATE

SEAL:

NEW MEDICAL OFFICE
DIANA OAK HARBOR REAL ESTATE LLC
540 OAK HARBOR BLVD
SLIDELL, LA 70458

JOB No:	2513
DATE:	05-16-2025
DRAWN BY:	CKD
CHECKED BY:	JMS

These documents are the property of Dammon Engineering, and are not to be used on any other project nor are they to be loaned, copied or assigned to any third party for use on any other project than for which they have been prepared and delivered without written consent of Dammon Engineering. Visual contact with these documents shall constitute prima facie evidence of acceptance of these restrictions.

SHEET TITLE:
FIRE RATING PARTITION PLAN-LEVEL 1

DRAWING NUMBER:
A1.0

SHEET No: 10 of 32

FILE_NAME: J:\-- Hospitals -- Medical -- Dental\2513 - Pontre Steps Family Medical\Current Drawings to Use\A1.0 - Fire Rating Plan.dwg PLOT DATE & TIME: Monday, May 19, 2025 3:33:32 PM