

REVISIONS		
REV	DATE	CAD
△	-	-
△	-	-
△	6/4/25	MD

DESCRIPTION	
POST-TENSION PLAN	

CUSTOMER NAME:	McMATH CONSTRUCTION
MODEL:	FOUNTAINS DOCTOR'S OFFICE
PROJECT:	OAK HARBOR BLVD.
ADDRESS:	SLIDELL, LOUISIANA
CITY/STATE:	ST. TAMMANY
PARISH/COUNTY:	

DATE	DET	REP	SF
5/14/25	MD	TW	9403

PROJECT NO.	25-0729
SHEET NO.	PT-IB

REBAR		
LENGTH	PLACEMENT	QUANTITY
18'-0"	BEAM	1
5'-0"	BEAM	4
7'-0"	BEAM	2

NOTE: REBAR FOR START/STOP AND/OR DROP BRICK LEDGE TO BE DETERMINED AT JOB SITE.

NOTE: CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION.

**LEGEND**

(##) SEQUENCE NUMBER  
 S-XX SLAB TENDON  
 TENDON TYPE-LENGTH

(##) SEQUENCE NUMBER  
 B-XX DRAPED BEAM TENDON  
 TENDON TYPE-LENGTH

FIXED END

REBAR

(2) #5 CORNER BARS (OPTIONAL)

● PILE: SEE PLAN

**SOIL**

MAX FILL HEIGHT (24")

SOIL REPORT BY: N/A

**VAPOR RETARDER**

LAYER(S)	THICKNESS (MIL)
1	6

**TENDONS**

COUNT	LENGTH
12	S-113
12	S-75
11	S-94
8	S-125
7	S-70
6	S-39
6	B-75
5	B-94
4	B-23
4	S-23
2	S-117
2	S-26
2	B-70
2	B-113
1	B-125
1	S-29
1	B-26
1	B-29
1	B-126
1	B-39

**FOUNDATION GEOMETRY**

	WIDTH (IN)	DEPTH (IN)
EXTERIOR BEAM	12	30
INTERIOR BEAM	12	24
SLAB	N/A	4

**CUT LIST**

CUTS	TOTAL LENGTH
89	7317'-0"

**SCALE**

1/8" = 1'-0"

**INSTALLER NOTES**

VISQUEEN PILES

