



ELECTRICAL NOTES:

1. THIS PLAN SHOWS NEW WORK ONLY.
2. ALL INSTALLATION SHALL BE DONE PER THE LATEST EDITION OF THE NATIONAL ELECTRICAL CODE AND SHALL COMPLY WITH ALL APPLICABLE LOCAL AND COUNTY REQUIREMENTS. ALL DEVICES SHALL BE UL AND NEMA RATED AND APPROVED. INSTALL UL APPROVED SMOKE DETECTORS WITH DIRECT WIRING TO THE 110V AC DEDICATED CIRCUIT AND BATTERY BACKUP. INTERCONNECT DETECTORS PER THE MANUFACTURER'S SPECIFIC WRITTEN INSTRUCTIONS.
3. ELECTRICAL DISTRIBUTION PANEL SHALL BE LOCATED BY THE ELECTRICAL CONTRACTOR AND BY THE OWNER, WITHIN THE APPLICABLE CODE REQUIREMENTS. ALL ELECTRICAL FIXTURES, LIGHTING, CEILING FANS, VENTS, HOODS, HEATERS, ETC. SHALL BE OWNER APPROVED PRIOR TO INSTALLATION.
4. INSTALL TELEPHONE AND CABLE T.V. JACKS LOCATED BY OWNER. COORDINATE JACK LOCATIONS WITH THE INSTALLING CONTRACTOR. (INCLUDE ALL WIRE, CABLE, JACKS, BOXES, DEVICES, TERMINAL BLOCKS, ETC.) PROVIDE/INSTALL ATTIC LIGHT AND DUPLEX RECEPTACLE FOR ATTIC ACCESS.

ELECTRICAL FLOOR PLAN

SCALE: 1/4"=1'-0"

A RESIDENCE FOR:		
MR. AND MRS. ORELLANA		
73365 BIRDE STREET, ABITA SPRINGS, LA, 70420		
SCALE: SHOWN	APPROVED BY:	DRAWN BY:
DATE: 9/20/2025		ANTHONY E. PONGETI
SHEET		DRAWING NUMBER:
9/9		