

MATERIALS PLAN

MATERIALS PLAN

MATERIALS PLAN

MATERIALS PLAN

MATERIALS PLAN

MATERIALS PLAN

1A 1A

- SITE WALL 01A
- BRICK WALL TYPE A
- BRICK VENEER
- BRICK MFR - ENDICOTT, WWW.ENDICOTT.COM
- COLOR: MEDIUM IRONSPOT 77
- SIZE: 2 1/4" X 3 5/8" X 11 5/8", 2 1/4" X 3 5/8" X 7 5/8"
- PATTERN: SEE ELEVATIONS
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

1B 1B

- SITE WALL 01B
- BRICK WALL TYPE B
- BRICK VENEER
- BRICK MFR: ENDICOTT, WWW.ENDICOTT.COM
- COLOR: MEDIUM IRONSPOT 77
- SIZE: 2 1/4" X 3 5/8" X 7 5/8" PATTERN: RUNNING BOND
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

1C 1C

- SITE WALL 01C
- BRICK WALL TYPE C
- BRICK VENEER PERFORATED TOP SECTION
- BRICK MFR - ENDICOTT, WWW.ENDICOTT.COM
- COLOR: MEDIUM IRONSPOT 77
- SIZE: 2 1/4" X 3 5/8" X 11 5/8", 2 1/4" X 3 5/8" X 7 5/8"
- PATTERN: SEE ELEVATIONS
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2A 2A

- SITE WALL 02A
- ARCHITECTURAL SITE CONCRETE WALL TYPE A
- FREESTANDING TAPERED PROFILE
- STEEL TROWEL & SANDBLAST FINISH
- SECURITY WALL K RATED
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2B 2B

- SITE WALL 02B
- ARCHITECTURAL SITE CONCRETE WALL TYPE B
- FREESTANDING 1" PROFILE
- STEEL TROWEL & SANDBLAST FINISH
- SECURITY WALL K RATED
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2B1 2B1

- SITE WALL 02B1
- ARCHITECTURAL SITE CONCRETE WALL TYPE B1
- FREESTANDING 1" PROFILE
- STEEL TROWEL & SANDBLAST FINISH
- SECURITY WALL K RATED
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2C 2C

- SITE WALL 02C
- ARCHITECTURAL SITE CONCRETE WALL TYPE C
- FREESTANDING 1" PROFILE W/FENCING
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2D 2D

- SITE WALL 02D
- ARCHITECTURAL SITE CONCRETE WALL TYPE D
- RAIN GARDEN 8" PROFILE
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2E 2E

- SITE WALL 02E
- ARCHITECTURAL SITE CONCRETE WALL TYPE E
- RAIN GARDEN TAPERED PROFILE
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2F 2F

- SITE WALL 02F
- ARCHITECTURAL SITE CONCRETE WALL TYPE F
- RAIN GARDEN 18" PROFILE W/FENCING
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2G 2G

- SITE WALL 02G
- ARCHITECTURAL SITE CONCRETE WALL TYPE G
- RETAINING WALL TAPERED PROFILE
- SECURITY WALL K RATED
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2H 2H

- SITE WALL 02H
- ARCHITECTURAL SITE CONCRETE WALL TYPE H
- RETAINING WALL TAPERED PROFILE W RAILING
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2J 2J

- SITE WALL 02J
- ARCHITECTURAL SITE CONCRETE WALL TYPE J
- SERVICE YARD WALL W/COVERED WALKWAY
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

2K 2K

- SITE WALL 02K
- ARCHITECTURAL SITE CONCRETE WALL TYPE K
- CONCRETE SEAT WALL
- STEEL TROWEL & SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

WALLS REMOVED IN ADDENDUM #3 - POST BID

3C 3C

- SITE WALL 03C
- PRECAST WALL TYPE C
- PRECAST ARCHITECTURAL SITE CONCRETE BENCH
- PRECAST TO MATCH EXTERIOR ARCHITECTURE
- PRECAST PANEL PC-1 BOTH IN COLOR AND FINISH
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

4A 4A

- SITE WALL 04A
- SECURITY FENCE TYPE A
- FABRICATED FENCE: STEEL PICKETS, HORIZONTAL FRAME AND POSTS - CAST IRON FINIAL (1 1/2" X 4")
- HOT DIP GALVANIZED
- POWDER COAT: TIGER DRYLAC - JET BLACK - 38/80020
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

4B 4B

- SITE WALL 04B
- SECURITY FENCE TYPE B
- MFR: AMETCO WWW.AMETCO.COM
- PRODUCT # - VENETIAN 100, GALVANIZED STEEL LOUVER
- POWDER COAT: TIGER DRYLAC - JET BLACK - 38/80020
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION
- GALV. STEEL POSTS W/ PC PAINT TO MATCH LOUVER PANELS

4C 4C

- SITE WALL 04C
- SECURITY FENCE TYPE C
- MFR: JAMIESON FENCE SUPPLY WWW.JAMIESONFENCE.COM
- PRODUCT # - 9 GA. GAW (2" Mesh) KT CHAIN LINK FABRIC
- GRAY POS WING SLAT INSERTS FOR PRIVACY
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

5A 5A

- SITE WALL 05A
- GATE TYPE A - SINGLE GATE - FABRICATED GATE
- GALVANIZED STEEL PICKET, STEEL POSTS, FRAME
- ELECTRONIC CARD READER WITH 2 MAGNETIC LOCKS
- SEE ELEVATIONS FOR GATE WIDTH
- POWDER COAT PAINT FINISH: TIGER DRYLAC - JET BLACK - 38/80020
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

5B 5B

- SITE WALL 05B
- GATE TYPE B - DOUBLE SWING GATE
- MFR: AMETCO WWW.AMETCO.COM
- PRODUCT # - VENETIAN 100
- POWDER COAT PAINT FINISH: TIGER DRYLAC - JET BLACK - 38/80020
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

5C 5C

- SITE WALL 05C
- SECURITY GATE TYPE C
- MFR: S&B ARMOR WWW.S&B-ARMOR.COM
- MODEL 400 MOTORIZED PRE-ENGINEERED VEHICULAR SECURITY GATE - K4 RATING
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

5D 5D

- SITE WALL 05D
- SECURITY GATE TYPE D
- MFR: JAMIESON FENCE SUPPLY WWW.JAMIESONFENCE.COM
- PRODUCT # - 9 GA. GAW (2" Mesh) KT CHAIN LINK FABRIC
- SLIDING GATES
- GRAY POS WING SLAT INSERTS FOR PRIVACY
- PROVIDE MOCK-UP FOR APPROVAL BEFORE INSTALLATION

WALLS CHANGED OR REMOVED IN ADDENDUM #3 - POST BID

WALLS REMOVED IN ADDENDUM #3 - POST BID

SANDBLASTING ABRASIVE GRIT:

- ABRASIVE GRIT - EBONY GRIT 12, FOR USE W/ ALL ARCHITECTURAL SITE CONCRETE WALLS AND PAVING
- WATER QUENCHED MINERAL SLAG WITH LESS THAN 1.0% SILICA, AND A MOHS HARDNESS OF NOT LESS THAN 7.0, NUMBER 16-30 MESH SIZE.
- SAND NOT ACCEPTABLE
- OPTA MINERALS, 4100 ELAINE ST, NEW ORLEANS, LA

CONCRETE PAVING - VEHICULAR

- LIGHT BROOM FINISH
- REINFORCED
- LONGITUDINAL CONTROL JOINTS (LCJ)
- CONTRACTION JOINT (CJ)
- SEALED JOINTS (EJ)
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION

ARCHITECTURAL CONCRETE PAVING - VEHICULAR

- REINFORCED WITH COATED STEEL
- STEEL TROWELED AND SANDBLASTED FINISH
- SAW CUT CONTROL JOINTS (SCJ)
- LONGITUDINAL JOINTS (LJ)
- TRANSVERSE CONTRACTION JOINTS (TCJ)
- SEALED JOINTS (EJ)
- LIGHT SANDBLASTED FINISH
- INTEGRAL COLOR AS NOTED ON SHEET LM120
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION

CONCRETE PAVING - VEHICULAR HEAVY DUTY

- LIGHT BROOM FINISH
- REINFORCED
- LONGITUDINAL CONSTRUCTION JOINT (LCJ)
- CONTRACTION JOINT (CJ)
- SEALED JOINTS (EJ)
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION

CONCRETE PAVING - PEDESTRIAN

- LIGHT BROOM FINISH
- REINFORCED
- SAW CUT CONTROL JOINTS (SCJ)
- SEALED JOINTS (EJ)
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION

ARCHITECTURAL SITE CONCRETE PAVING - PEDESTRIAN

- STEEL TROWELED AND SANDBLASTED FINISH
- SAW CUT CONTROL JOINTS (SCJ)
- DECORATIVE JOINTS (DJ)
- SEALED JOINTS (EJ)
- INTEGRAL COLOR AS NOTED ON SHEET LM120
- LIGHT SANDBLAST FINISH
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION

GEOBLOCK PORUS PAVEMENT SYSTEM- FIRE LANE

- MFR: PRESTO PRODUCTS COMPANY, WWW.PRESTOGEOD.COM
- GEOBLOCK POROUS PAVEMENT SYSTEM
- PRE-ENGINEERED SYSTEM - H20 LOADING
- PLASTIC INTERLOCKING UNITS
- CU SOIL - STRUCTURAL PLANTING MIX FOR BASE (CORNELL MIX)
- UNITS FILLED WITH TOPSOIL

STABILIZED AGGREGATE PAVING

- CRUSHED DECOMPOSED GRANITE CHIPS TO 1/4" INCLUDING DUST AND FINES
- POLYMER STABILIZED AGGREGATE
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION
- COLOR: RECYCLED SLAG
- MFR: KAFKA GRANITE WWW.KAFKAGRANITE.COM
- SEE SPECIFICATIONS

GABIONS

- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION
- SEE SPECIFICATIONS

AGGREGATE MULCH BED

- 1 - 1 1/2" ANGULAR LOCAL AGGREGATE
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION
- COLOR: TO MATCH PLATINUM GRANITE
- MFR: KAFKA GRANITE WWW.KAFKAGRANITE.COM

PRECAST ARCHITECTURAL SITE CONCRETE WEIR

- RAIN GARDEN WEIR
- SIZE AND LOCATION: SEE PLANS AND DETAILS
- COLOR: TO MATCH GARAGE PC-3

RAIN GARDEN STONE

- ANGULAR STONE
- 12"-18" DIA. 8"-10" HEIGHT
- UNITS SET HANDTIGHT AND CUT TO FIT WITH 1/4" WIDE GROULETED JOINTS
- GROUT COLOR TO MATCH STONE COLOR
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION
- COLOR: PLATINUM GRANITE
- MFR: KAFKA GRANITE WWW.KAFKAGRANITE.COM

WALKOFF MAT

- EXTERIOR RATED WALK OFF MAT
- MFR: CONSTRUCTION SPECIALTIES, WWW.C-SGROUP.COM
- PRODUCT: 1 1/8" GRIDLINE WITH DEEP PUT FRAME AND HIDDEN LOCK DOWNS
- MATERIAL: 304 SS
- ROLLING LOAD TESTED TO 500 LBS

PAVING RETENTION ANGLE EDGING

- MFR: PERMALOC, WWW.PERMALOC.COM
- TYPE: ASPHALT EDGE
- SIZE: 2" X 2 1/4"
- FINISH: BLACK ACRYLIC ENAMEL

AGGREGATE MULCH BED EDGING

- MFR: PERMALOC, WWW.PERMALOC.COM
- TYPE: CLEANLINE
- SIZE: 5 1/2" X 18" W/ 3/16" EXPOSED TOP LIP
- MILL FINISH - NATURAL ALUMINUM

CONCRETE CURB

- 4" X 6" WIDE
- SEE MATERIALS PLAN FOR CURB DETAIL LOCATIONS
- PROVIDE MOCK-UP FOR APPROVAL PRIOR TO INSTALLATION

PLANTERS

- FREESTANDING PLANTER P1
- MFR: TOURNESOL SITEWORKS, WWW.TOURNESOLSITEWORKS.COM
- PRODUCT: WILSHIRE COLLECTION: RECTANGLE
- MATERIAL: FRP
- COLOR: METAL MATCHED PAINT FROM MFR FULL RANGE, TO MATCH MP-2
- THERMOPLASTIC LINERS TO MATCH PLANTER SIZE
- MFR: PLANTER TECHNOLOGY, WWW.PLANTERTECHNOLOGY.COM
- SEE PLANS FOR QTY & LOCATIONS
- SIZES:
 - TYPE A = 8' X 2' X 1.5' (L X H X W)
 - TYPE B = 8' X 2' X 2' (L X H X W)
 - TYPE C = 8' X 2' X 2.5' (L X H X W)
 - TYPE D = 8' X 1.5' X 1.5' (L X H X W)
 - TYPE E = 8' X 1.5' X 1.5' (L X H X W)
 - TYPE F = 10' X 1.5' X 1.5' (L X H X W)

BIKE RACKS

- QTY: 38 - SEE PLANS FOR LOCATIONS
- FABRICATED STEEL BENT TUBE
- FINISH: GALVANIZED
- CORE DRILL CONCRETE, EMBEDDED IN NON-SHRINK GROUT

SHREDDED PINE NEEDLE MULCH

- 2" DEPTH

SOODED LAWN

WATER FEATURE REMOVED IN ADDENDUM #3 - POST BID

ONE INCH = FORTY FEET (1" = 40')

ONE AND ONE HALF INCHES = ONE FOOT

THREE INCHES = ONE FOOT

ONE AND ONE HALF INCHES = ONE FOOT

THREE QUARTERS INCH = ONE FOOT

ONE HALF INCH = ONE FOOT

ONE QUARTER INCH = ONE FOOT

ONE EIGHT INCH = ONE FOOT

ONE QUARTER INCH = ONE FOOT

ONE SIXTEENTH INCH = ONE FOOT

CONSULTANTS:

DESMAN ASSOCIATES / PARKING
 CODE CONSULTANTS, INC. / CODE CONSULTANT
 THE SEXTANT GROUP / AV & ACOUSTICAL
 HAMMER DESIGN ASSOCIATES / FOOD SERVICE
 PYBURN & ODOM / ABATEMENT
 TATA & HOWARD / TANK CONSULTANT
 I.S.C. GROUP, INC. / IRRIGATION
 DAN EUSER WATER ARCHITECTURE, INC. / WATER FEATURE



ARCHITECT/ENGINEERS:

studio **NOVA**
 SCHRENK & PETERSON CONSULTING ENGINEERS / CIVIL
 KORDA/NEMETH ENGINEERING / STRUCTURAL
 BR+A CONSULTING ENGINEERS / MECH, ELECT, PLUMBING, LOW VOLTAGE
 ARCHITECTURAL ENGINEERING / PLUMBING
 SCALES ASSOCIATES / FIRE PROTECTION
 COMMUNICATIONS DESIGN GROUP / LOW VOLTAGE

DRAWING TITLE
 NOTES, LEGENDS AND FINISH SCHEDULE

As indicated

APPROVED: PROJECT DIRECTOR

PROJECT TITLE
 SLVHC'S REPLACEMENT MEDICAL CENTER PROJECT

LOCATION
 NEW ORLEANS, LOUISIANA

DATE
 February 29, 2012

CHECKED
 JW

DRAWN
 NG

PROJECT NUMBER
 629-HS2-401

DOCUMENT SET PACKAGE
 WP_08

DRAWING NUMBER
 L002

OFFICE OF
 CONSTRUCTION
 AND FACILITIES
 MANAGEMENT

Department of
 Veterans Affairs