



BUILDING B 5th FLOOR SECURITY ACCESS PLAN
 SCALE: 1/8" = 1'-0"

ACCESS CONTROL SYMBOL LEGEND

- CR = PERSONA W644 READER
- I = AIRPHONE INTERCOM
- Z = BOX AND WIRING FOR FUTURE ADA DOOR ACCESS DEVICE
- PD = PUSHBUTTON DOOR OPERATOR SUPPLIED AND CONNECTED BY OTHERS
- PA = THE PUBLIC ADDRESS HEAD-END SYSTEM SHALL BE INTERCONNECTED THROUGH THE TELEPHONE SYSTEM VIA AN I-TECH BLACK BOX TO PROVIDE FOR MASS NOTIFICATION PAGES FROM OUTSIDE THIS BUILDING.
- S = PUBLIC ADDRESS SPEAKER, CEILING MOUNTED 5667725F69WVK; VERIFY LOCATION WITH ARCHITECT.
- SC = SECURECAM EXIT SIGN SCI-MCC700 HPF EX-600 DWDR SINGLE LENS. VERIFY LOCATION WITH ARCHITECT.
- SCD = SECURECAM EXIT SIGN SCI-MCC700 HPF EX-600 DWDR DOUBLE LENS. VERIFY LOCATION WITH ARCHITECT.
- SCN = SECURECAM EXIT SIGN, NO CAMERA. VERIFY LOCATION WITH ARCHITECT.
- SD = SECURECAM SMOKE DETECTOR SCI-MCC700 HPF SD-600 DWDR DOUBLE LENS. VERIFY LOCATION WITH ARCHITECT.
- SM = SECURECAM MOTION SIGN SCI-MCC700 HPF PIR-600 WDR SINGLE LENS. VERIFY LOCATION WITH ARCHITECT.
- SN = ON SOLUTIONS ELEVATOR CORNER CAMERA C-ACM 620. COVERT CONCEALED CAMERA.
- CA = CLINTON ELECTRONIC DOME CAMERA, CE-D953. VERIFY LOCATION WITH ARCHITECT.
- CB = BOX/BULLET CAMERA. VERIFY LOCATION WITH ARCHITECT.
- FR = FIRE RATED WALL. SEE ARCHITECTURAL PLANS FOR HOURS RATED.
- FR2 = FIRE RATED WALL. SEE ARCHITECTURAL PLANS FOR HOURS RATED.
- Q = DOOR DETAIL, SEE SEC 0.2
- A = MORTIS LOCK PERSONA VCP 40554626
- F1 = READER PERSONA W644
- F2 = READER PERSONA W644; SECURITRON DOOR POSITION SWITCH
- F3 = READER PERSONA W644; SECURITRON DOOR POSITION SWITCH; MOTION SENSOR BEA R2E-100
- F4 = READER PERSONA W644; SECURITRON DOOR POSITION SWITCH; ELECTRIC STRIKE HES 10064626
- F5 = READER PERSONA W644; SECURITRON DOOR POSITION SWITCH; MOTION SENSOR BEA R2E-100; ELECTRIC STRIKE HES 10064626
- F6 = READER PERSONA W644; SECURITRON DOOR POSITION SWITCH; AIRPHONE JMS-4A2D
- F7 = READER PERSONA W644; ELECTRIC STRIKE HES 10064626
- C = ELECTRIC STRIKE HES 10064626
- I = SECURITRON DOOR POSITION SWITCH
- M = SECURITRON DOOR POSITION SWITCH; MOTION SENSOR BEA R2E-100
- E = RIM CYLINDER LSA USM KEYWAY

DAMMON ENGINEERING INC.
Architects & Engineers

1504 JUSTIN R. METLAINE, LA
70001-5935

CHIEF ARCHITECT: KEVIN KINCHEN
SHELLE LA 70455

THE UNIVERSITY OF SOUTHERN MISSISSIPPI
CENTURY PARK SOUTH
HATTIESBURG, MISSISSIPPI

JOB No: 2189 DATE: 1/14/2014
DRAWN BY: DFD CHECKED BY: WH

INTERNATIONAL DISTRIBUTION NETWORK
IDN
ACME, INC.

IDN-Acme Incorporated
1504 Justin R. Metlaine, LA
70001-5935

BUILDING B
5th FLOOR

SHEET No: 15 OF 20

SEC-B5