



**GREDL: 515692**

**DND: 4945**

**Common Name: Range Ave & Tate Rd**

**PROJ#: 38200P361151**

**1440 S Range Ave.  
Denham Springs, LA**

SO Number: 110890

Created: 03.20.2020

Revised: 05.05.2020



# LIF-BLK-24

Flush Mounted Letters/Octagon  
36.85 Square Feet



## LETTERS - General Specifications

- Illuminated dimensional letters with aluminum returns, metallic silver jewelite trimcap.
- Letters internally illuminate with white LED modules.
- Letters to mount flush to existing fascia with non-corrosive fasteners.

- Aluminum Returns: Semi-Gloss Enamel Matthews MP-18101 Chase Light Nickel
- Translucent Letter Faces: .125" Optix LD White #2406 Acrylic Face
- Vinyl Diffuser (Interior Surface) 3M 3635-222
- Perforated Black Vinyl (Exterior Surface) 3M 3635-222
- White LED Modules: Sloan Prism #701269-7WSJ1-MB
- 1" Metallic Silver Jewelite Trimcap

## OCTAGON - General Specifications

- Illuminated dimensional octagon with translucent blue thermo-formed segments acrylic chemically bonded to .75" clear acrylic backers.
- Octagon cabinet constructed of aluminum (6 3/4" deep, .063 returns, .090 backs, .063 bridges).
- Return finished in silver enamel, bridges are finished to match fascia
- Logo to mount flush to existing fascia with non-corrosive fasteners

- Translucent Formed Segments: .125" Thermo-formed blue acrylic adhered to 3/4" clear acrylic segment face backer
- Blue LED Modules: Sloan Prism #701269-BLSJ1-MB
- Aluminum Return: Gloss Enamel Painted Matthews MP-18101 Chase Light Nickel



### Electrical notes:

1. All electrical components to be UL approved
2. Customer is responsible for one (1) 120v/ 20a dedicated circuit with ground per sign within 6' of sign.
3. Lockout switch installed at panel box for all electrical signs.
4. Install in accordance with N.E.C. Article 600 and/ or local codes. This includes proper grounding and bonding of signs.



EXISTING CONDITION



PROPOSED



Revisions	
05/05/2020 - Added Building Measurements	--
	--
	--
	--

# LIF-BLK-14

Flush Mounted Letters/Octagon  
9.47 Square Feet



## LETTERS - General Specifications

- Illuminated dimensional letters with aluminum returns, metallic silver jewelite trimcap.
- Letters internally illuminate with white LED modules.
- Letters to mount flush to existing fascia with non-corrosive fasteners.

- Aluminum Returns: Semi-Gloss Enamel Matthews MP-18101 Chase Light Nickel
- Translucent Letter Faces: .125" Optix LD White #2406 Acrylic Face
- Vinyl Diffuser (Interior Surface) 3M 3635-222
- Perforated Black Vinyl (Exterior Surface) 3M 3635-222
- White LED Modules: Sloan Prism #701269-7WSJ-MB
- 1" Metallic Silver Jewelite Trimcap

## OCTAGON - General Specifications

- Illuminated dimensional octagon with translucent blue thermo-formed segments acrylic chemically bonded to .75" clear acrylic backers.
- Octagon cabinet constructed of aluminum (4 1/4" deep, .063 returns, .090 backs, .063 bridges).
- Return finished in silver enamel, bridges are finished to match fascia
- Logo to mount flush to existing fascia with non-corrosive fasteners

- Translucent Formed Segments: .125" Thermo-formed blue acrylic adhered to 3/4" clear acrylic segment face backer
- Blue LED Modules: Sloan Prism #701269-BLSJ-MB
- Aluminum Return: Gloss Enamel Painted Matthews MP-18101 Chase Light Nickel

### Electrical notes:

1. All electrical components to be UL approved
2. Customer is responsible for one (1) 120v/ 20a dedicated circuit with ground per sign within 6' of sign.
3. Lockout switch installed at panel box for all electrical signs.
4. Install in accordance with N.E.C. Article 600 and/ or local codes. This includes proper grounding and bonding of signs.



EXISTING CONDITION



PROPOSED



**DAMMON**  
ENGINEERING, INC.



National Headquarters: 1077 West Blue Heron Blvd.  
West Palm Beach, Florida 33404  
800.772.7932  
www.atlasbtw.com

Revisions	

CHASE

502

PM: SW

Drawn By: RW

Date: 03/20/2019

Address: 1440 S Range Ave

City State: Denham Springs, LA

Drawing #: 110890-502 Page #: 4