




Sally's Beauty Supply
700 Terry Parkway Ste. G
Gretna, LA 70056

Scope of work:
Install one new building sign

36" LINEAR CHANNEL LETTER SET

48 SQUARE FEET



FLUSH MOUNT CHANNEL LETTER SET


SCALE: 1/4" = 1'-0"

SPECIFICATIONS

- 3" DEEP .050 ALUMINUM RETURNS PAINTED BLACK.
- 1" TRIM CAP BLACK.
- FACES ARE FLAT TRANSLUCENT
"SALLY" #2793 RED 3/16" PLEX.
"BEAUTY" #2447 WHITE ACRYLIC WITH 70/30 BLACK PERFORATED VINYL.
- LETTERS ARE INTERNALLY ILLUMINATED WITH USLED LED MODULES
RED FOR "SALLY"
WHITE FOR "BEAUTY"
- LETTERS ARE MOUNTED FLUSH TO BUILDING WITH NON-CORROSIVE MOUNTING HARDWARE.

Electrical Notes:

All electrical components to be UL approved
Customer is responsible for one (1) 120v/20a dedicated circuit with ground per sign within 6' of sign
Lock out switch installed at panel box for all electrical signs
Install in accordance with N.E.C. article 600 and/or local codes. This includes proper grounding and bonding of signs



**Houston
Dallas**

Houston Corporate Office
5225 Katy Frwy, Ste 350
Houston, Texas 77007
713-977-7900
Fax 713-977-7903

Dallas Regional Office
2220 San Jacinto Blvd. #365
Denton, Texas 76205
940-380-9153
FAX: 940-380-9395

**SALLY
BEAUTY**

Address: STANDARDS

City: _____

State: _____

Account Rep: S. GIBBS

Sales Rep: K. CREP

APPROVALS

CLIENT _____

DESIGN _____

PROD. _____

Designer: J. WOMACK

Design No. Us158761

DATE 7-20-15

Rev. Date: 0-00-15



1:2

The purchaser agrees to hold the seller harmless against any claims for action for damage which may occur as a result of drilling for pipes and foundations, inside (dig) but not limited to sewer gas in use or any and approved electric which the purchaser or others may do on his site.

**DAMMON
ENGINEERING INC.**

THIS DESIGN AND ENGINEERING IS SUBMITTED AS OUR PROPOSAL, AND THE RIGHT TO USE OR EXHIBIT IN ANY FORM, IS NOT AUTHORIZED WITHOUT WRITTEN PERMISSION BY US SIGNS