




3800 Lapalco Blvd Harvey, LA 70058

- Proposed Building Sign Placement



# PDNN-21 Stacked



### Specifications

**PDNN-21 Non-illuminated Molded Letters**  
 Molded black acrylic letters - 1 1/2" Profile  
 Stooled off glass portal 1/4"


Font: Univers 67 Condensed - Bold

### Colors

■ Molded black acrylic letters



<b>Project ID</b>	LM2-66965
	17062
	Bohn Toyota
	3800 Lapalco Blvd.
	Harvey, LA
<b>Sign Item</b>	PDNN-21
<b>Date:</b>	14-AUG-2025
<b>Scale:</b>	1/4"=1'-0"
<b>Contact:</b>	L.Milligan
<b>Designer:</b>	C.Sabattino
<b>Revision Note</b>	
R1: 08-15-2025	Revised to PDNN-21
	Removed "TEXAS" from dealer name.
<b>Information Required for Production</b>	
DocuSigned by:	Peter A. Jevish
DocuSign Envelope ID:	C5C083057180418
Created:	12/2/2025
MM/DD/YYYY	



All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Dammon Engineering, Inc.

1'-9 1/16"

1'-9" (A)


& 5 3/4"

A B C D E F G H I  
J K L M N O P Q  
R S T U V W X Y Z

FRONT VIEW UPPER CASE

M C

FRONT VIEW LOWER CASE



TOY1CXEX011

NON-ILLUMINATED LETTERS 21"

Installation:  Interior:  Exterior:

Electrical specifications:

Volts:  N/A Amp.:  N/A Circ.:  N/A

# Descriptions:

- 1 MOLDED BLACK ACRYLIC LETTERS 1 1/4" PROFILE
- 2 STEEL STRUCTURE (BY OTHER)
- 3 TETHER WIRE WRAPPED AROUND TUBE & CRIMPED AT EVERY VERTICAL JOINT ACROSS HEADER (BY OTHER)
- 4 TRANSLUCENT GLASS (BY OTHER)
- 5 SIGN ATTACHMENT RECEPTACLE
- 6 CIRCULAR BASE PEDESTAL

# Colors:


- A PRE COLORED BLACK

DAMMON ENGINEERING, INC.


401 S. G. A. S. I. R. M. D. S. I. P. P. I.  
SUITE 1000  
2905 W. 102nd St. | 2905-1020  
www.dammonengineering.com  
info@dammonengineering.com

#	Revision(s)	By:	Date:
1	ADDED INFO FOR LOWER CASE " C "	ACH	02.27.2013







**NON ILLUMINATED DEALERNAME LETTER INSTALLATION**



**SECTION A-A  
N.T.S.**



**SECTION B-B  
N.T.S.**



**SECTION C-C  
N.T.S.**



**TOY1CXEX011**  
**NON-ILLUMINATED LETTERS 21"**  
 Installation:  Interior:  Exterior:  
 Electrical specifications:  
 Volts:  N/A Amp.:  N/A Circ.:  N/A

