



ELECTRICAL NOTES (#)	
1	REFER TO TYPICAL EXAM ROOM ON THIS SHEET FOR DEVICE LAYOUT.
2	COORDINATE MOUNTING OF DEVICES AND ROUTING OF CONDUIT WITH MILLWORK PROVIDER PRIOR TO INSTALLATION.
3	1" CONDUITS WITH CABLE INDICATED TO NEAREST WALL WITH ACCESSIBLE CEILING. STUB UP A MINIMUM OF 6" ABOVE CEILING.
4	DISTRESS BUTTON. VERIFY LOCATION WITH OWNER/ARCHITECT PRIOR TO INSTALLATION.
5	3/4" CONDUIT WITH CABLE TO COMMUNICATION BACKBOARD.
6	REFER TO TYPICAL OFFICE ON THIS SHEET FOR DEVICE LAYOUT.
7	CONNECT DOOR HARDWARE TO FIRE ALARM SYSTEM. DOOR TO BE RELEASED UPON ACTIVATION OF FIRE ALARM SYSTEM.



washer hill  
lipscomb cabanis  
architecture, llc  
copyright 2023  
1744 oakdale dr baton rouge, la  
t. 225.767.1530 f. 225.767.0018  
www.whlcarcitecture.com

Construction Documents  
11.8.2023  
WHLC 21-068  
05-23-2024 - ASI #016

Third Floor Special  
Systems Plan

**1 LEVEL 3 - SPECIAL SYSTEMS PLAN**  
SCALE: 1/8" = 1'-0" (REFER TO ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS)