

LitePro 2.030 Point-By-Point Results

5/22/2023

PROJECT: St Tammany Fire District 1/ GROUP: StTam fire dis 1 training AREA: RCP GRID: New Grid

PREPARED BY:

VALUES ARE FC, SCALE: 1 IN= 7.0FT, HORZ GRID (U), HORZ CALC, Z= 2.5

ROOM REFLECTANCES: 80 / 50 / 20 (Ceiling/Walls/Floor)

Computed in accordance with IES recommendations

Statistics

GROUP	MIN	MAX	AVE	AVE/MIN	MAX/MIN
(+)	4.19	65.89	45.43	10.83	15.71

Luminaires Used

TYPE	QTY	TEST#	DESCRIPTION
F1-	24	24-OEVHP	ELITE, 24-OEVHP-LED-3000-4000-5000L-DIM10-MVOLT-35K-40K-5, , LAMPS: (1) TWH-LED, 4087 LUMENS, BLST: , LLF = 0.95 @8.90
F2-	27	22-OEVHP	ELITE, 22-OEVHP-LED-2000L-3000L-4000L-DIM10-MVOLT-35K-40K, , LAMPS: (1) 2FT-LED-CCT-PCB, 3175 LUMENS, BLST: , LLF = 0.95 @8.90
F3-	5	HH6-LED-	ELITE, HH6-LED-1200L-WD-40K-CL-WH, , LAMPS: (1), 1280 LUMENS, BLST: , LLF = 0.95 @8.90
F4-	4	Sage 37	Elite, ECH-BL-LED-1003-4-650L-30K-BN, Sage 37 Bath , LAMPS: (1), 2600 LUMENS, BLST: , LLF = 0.95 @8.90

