



**#3218**

**3200 General DeGaulle Dr  
New Orleans LA 70114**





SIGN 1

**Extra Space Storage.**  
Climate Controlled

SIGN 2

**ExtraSpace Storage.**

SIGN 3

**OFFICE**

SIGN 2 SIGN 3

SIGN 1



Address #3218  
3200 General DeGaulle Dr  
City New Orleans  
State LA  
70114

Program:  
Life Storage - Extra Space

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

Notes  
\*  
\*  
\*  
\*  
\*

Designer AM  
Design # Vx1106512-1  
Original Date 09/16/24  
Revision Date :

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards.

UL LISTED ncc  
\* All electrical components shall be U.L. listed.  
\* Sign shall be grounded per N.E.C. Article 250.  
\* Insulated conductors as per N.E.C. Code 310.8.  
\* type to be used - metallic insulated sealite.  
\* Disconnect switch as per N.E.C. Code 605.6.



sign & lighting

The purchaser agrees to hold the seller harmless against any cause for action for damages which may occur as a result of drilling for piers and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.



ELEVATION



SCOPE OF WORK:

- Remove & dispose of (2) two existing sign faces.
- Manufacture & install (2) two new sign faces.
- Paint existing cabinet SW7067 Cityscape.
- Paint existing pole cover SW7067 Cityscape.

Face Change Only

PROPOSED



EXISTING



7' -4"H x 8'-0"L Cabinet  
8'-6" OAH



Address #3218  
3200 General DeGaulle Dr

City New Orleans  
State LA  
70114

Program:  
Life Storage - Extra Space

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

Notes

- \*
- \*
- \*
- \*
- \*

Designer AM  
Design # Vx1106512-1  
Original Date 09/16/24  
Revision Date :

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards.



\* All electrical components shall be U.L. listed.  
\* Sign shall be grounded per N.E.C. Article 250.  
\* Insulated conductors as per N.E.C. Code 310.8.  
type to be used - metallic insulated sealable.  
\* Disconnect switch as per N.E.C. Code 600.5.




sign & lighting

page 3



The purchaser agrees to hold the seller harmless against any claims for action for damages which may occur as a result of drilling for piers and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.

**SIGN**  
**1**



Quantity: 2 Faces  
Cabinet Depth: +/-10"

**ExtraSpace  
Storage.**

Address #3218  
3200 General DeGaulle Dr  
City New Orleans  
State LA  
70114

Program:  
Life Storage - Extra Space

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

Notes

- +
- +
- +
- +


Designer AM  
Design # Vx1106512-1  
Original Date 09/16/24  
Revision Date :

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards.



- \* All electrical components shall be U.L. listed.
- \* Sign shall be grounded per N.E.C. Article 250.
- \* Insulated conductors as per N.E.C. Code 310.8 type to be used - metallic insulated sealts.
- \* Disconnect switch as per N.E.C. Code 600.5.

Lexan Face Specifications



sign & lighting



The purchaser agrees to hold the seller harmless against any cause for action for damages which may occur as a result of drilling for piers and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.

## ELEVATION



### SCOPE OF WORK:

Remove & dispose of (1) one existing sign face.  
Manufacture & install (1) one new sign face.  
Paint existing cabinet SW7067 Cityscape.



### SCOPE OF WORK:

Manufacture & install new office sign.  
Run new electrical to sign.  
Provide, install and program (1) Intermatic ET8015C digital timer.

**Remove all ESS banners and any life storage signage on the property.**

Face Change Only

## PROPOSED



## EXISTING



3'-1/4"H x 7'-1"L Cabinet

**ExtraSpace  
Storage.**

Address #3218  
3200 General DeGaulle Dr

City New Orleans  
State LA  
70114

Program:  
Life Storage - Extra Space

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

### Notes

- +
- +
- +
- +
- +

Designer AM  
Design # Vx1106512-1  
Original Date 09/16/24  
Revision Date :

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards.



\* All electrical components shall be U.L. listed.  
\* Sign shall be grounded per N.E.C. Article 250.  
\* Insulated conductors as per N.E.C. Code 310.8.  
\* type to be used - metallic insulated conductors.  
\* Disconnect switch as per N.E.C. Code 600.5.



sign & lighting

page 5

The purchaser agrees to hold the seller harmless against any cause for action for damages which may occur as a result of drilling for piers and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.

**DAMMON**  
ENGINEERING



Quantity: 1 Faces  
Cabinet Depth: +/-8"

**ExtraSpace Storage.**



Address #3218  
3200 General DeGaulle Dr  
City New Orleans  
State LA  
70114

Program:  
Life Storage - Extra Space


This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

Notes

- 
- 
- 
- 
- 

Designer AM  
Design # Vx1106512-1  
Original Date 09/16/24  
Revision Date :

Lexan Face Specifications



All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards.



\* All electrical components shall be U.L. listed.  
\* Sign shall be grounded per N.E.C. Article 250.  
\* Insulated conductors as per N.E.C. Code 310.8.  
\* type to be used - metallic insulated seal/ke.  
\* Disconnect switch as per N.E.C. Code 600.5.



sign & lighting



The purchaser agrees to hold the seller harmless against any cause for action for damages which may occur as a result of drilling for pipes and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.


Office Wall Sign

Scale 1"=1'

Dismantled Detail

SIGN  
3

2 sq/ft



**ExtraSpace  
Storage.**

Address #3218  
3200 General DeGaulle Dr  
City New Orleans  
State LA  
70114

Program:  
Life Storage - Extra Space


This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by Vixxo.

Notes  
\*  
\*  
\*  
\*  
\*

Specifications

- 1 .063" - 3" DEEP FABRICATED ALUMINUM CABINET PAINTED SW7067 CITY SCAPE
- 2 COUNTERSUNK SCREW / INTERNAL CLIP ATTACHMENT
- 3 .063" THICK ROUTED ALUMINUM PLATE FACE
- 4 1/4" WHITE ACRYLIC, POCKET ROUTED FOR 1/2" PUSH THROUGH VISIBLE
- 5 WHITE CLIENT APPROVED LED
- 6 LOW VOLTAGE ELECTRONIC TRANSFORMER
- 7 .063" ALUMINUM BACK
- 8 3/8" THREADED RIVETS INSERTED FOR INSTALLATION
- 9 SILICONE SEAL ALL INTERIOR SEAMS
- 10 GROUNDED WALL PASS-THRU SEALED WATER TIGHT

Section



Designer AM  
Design # Vx1106512-1  
Original Date 09/16/24  
Revision Date :

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards.  
UL LISTED nec  
\* All electrical components shall be U.L. listed.  
\* Sign shall be grounded per N.E.C. Article 250.  
\* Insulated conductors as per N.E.C. Code 310.8.  
\* type to be used - metallic insulated sealrite.  
\* Disconnect switch as per N.E.C. Code 600.5.



sign & lighting

page 7

The purchaser agrees to hold the seller harmless against any cause for action for damages which may occur as a result of drilling for piers and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.