FILE NAME: J:\~ RESTAURANT\2015 - Gonzos Smoke House\Current Drawings\A102-Building Elevations Preview.dwg, PLOT DATE & TIME: Wednesday, September 3, 2025 3:58:31 PM



5 FRONT ELEVATION
SCALE: 1/4" = 1'-0"



6 REAR ELEVATION
SCALE: 1/4" = 1'-0"



7 RIGHT ELEVATION
SCALE: 1/4" = 1'-0"

DESIGN CRITERIA

THE CONSTRUCTION FOR SAID BUILDING, WHERE Vult WIND SPEED IS 135 MILES PER HOUR AND Vasd WIND SPEED IS 105 MPH, WIND EXPOSURE ZONE C, IS DESIGNED IN ACCORDANCE WITH: AMERICAN FOREST AND PAPER ASSOCIATION (AF&PA) WOOD FRAME CONSTRUCTION MANUAL FOR ONE AND TWO FAMILY DWELLINGS (WFCM) 2001 EDITION AS WELL AS THE INTERNATIONAL RESIDENTIAL CODE (IRC) 2021 EDITION. STRUCTURE SHALL BE BUILT TO THE 2021 INTERNATIONAL ENERGY CONSERVATION CODE (2021 IECC) AND STATE AMENDMENTS ADOPTED JULY 1, 2023.

DAMMON ENGINEERING, INC.
LOUISIANA & MISSISSIPPI
www.dammonengineering.com
info@dammonengineering.com
PH: 985.645.5833
Chief Engineer: Brian Mistich, PE
1504 Quail Square Trail
Slidell, LA 70458

REVISIONS

#	DESCRIPTION	DATE

SEAL:

RESTAURANT
GONZOS SMOKEHOUSE & BBQ
13948 RIVER RD
LULING, LA 70070

JOB No:	2515
DRAWN BY:	GCD
DATE:	09/09/2025
CHECKED BY:	BAM

All ideas, designs, arrangements and plans indicated or represented by this drawing are owned by and the property of Dammon Engineering, Inc. and were created, evolved and developed for use on and in connection with the specified project. None of such ideas, designs, arrangements or plans shall be used by or disclosed to any person, firm or corporation for any purpose whatsoever without the written permission of Dammon Engineering, Inc.

SHEET TITLE:
BUILDING ELEVATIONS

DRAWING NUMBER:
A102

SHEET No: 7 of 14

Acad 24x36 Dammon Border2016.dwg