



MAINTENANCE—THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ON TO PUBLIC RIGHT OF WAY. THIS MAY REQUIRE PERIODIC TOP DRESSING WITH ADDITIONAL STONE AS CONDITIONS DEMAND AND REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT. ALL SEDIMENT ON TO PUBLIC RIGHTS OF WAY MUST BE IMMEDIATELY REMOVED.

- EROSION CONTROL NOTES:
- WHEREVER FEASIBLE, AND IN AREAS WHERE REQUIRED, NATURAL VEGETATION SHOULD BE RETAINED AND PROTECTED.
 - WHERE NECESSARY, TEMPORARY VEGETATION AND/OR MULCHING SHOULD BE USED TO PROTECT AREAS EXPOSED DURING DEVELOPMENT.
 - THE PERMANENT FINAL VEGETATION AND STRUCTURES SHOULD BE INSTALLED AS SOON AS PRACTICAL.
 - WHEN LAND IS EXPOSED DURING DEVELOPMENT, ONLY THE SMALLEST PRACTICAL AREA SHOULD BE EXPOSED AT ONE TIME AND THE EXPOSURE TIME SHOULD BE KEPT TO THE SHORTEST PRACTICAL PERIOD OF TIME.
 - CHECK DAMS SHOULD BE PLACED A MINIMUM OF EVERY 300' ALONG DRAIN SWALES AND DITCHES OR WERE DIRECTED BY THE ENGINEER.
 - TEMPORARY SILT FENCES SHOULD BE PLACED AROUND CONSTRUCTION LIMITS IN A MANNER TO PREVENT AND/OR LIMIT SEDIMENT FROM BEING DEPOSITED INTO NATURAL DRAINAGE WAYS, SUCH AS RIVERS, BAYOUS AND STREAMS.
 - ALL EROSION CONTROL MEASURES SHOULD BE CHECKED, CLEANED AND REPAIRED IF NECESSARY AFTER EACH RAINFALL EVENT.
 - SEDIMENT REMOVED FROM EROSION CONTROL DEVICES SHOULD BE DEPOSITED IN A MANNER THAT WILL NOT CAUSE OR ALLOW SEDIMENT TO ENTER DRAINAGE SYSTEMS.

LEGEND:

STRAW BALE BARRIER

EROSION CONTROL PLAN

VILLAGE OF EDEN OAK
LOT 1-A-1 OAK HARBOR COMMERCIAL, PH.1
SECTION 34, T-9-S R-14-E
ST. TAMMANY PARISH, LOUISIANA

REVISIONS		KELLY McHUGH & ASSOCIATES, INC. CIVIL ENGINEERS & LAND SURVEYORS 845 GALVEZ ST., MANDEVILLE, LA. 626-5611	
MARK	DATE	SCALE:	DATE:
		1" = 20'	01-04-23
		DRAWN: SMC	JOB NO.: 21-328
		CHECKED:	DWG. NO.: C4

Call before you dig.
1-800-272-3020

