



**ELECTRICAL NOTES:**

1. ALL INSTALLATION SHALL BE DONE PER THE LATEST EDITION OF THE NATIONAL ELECTRICAL CODE AND SHALL COMPLY WITH ALL APPLICABLE LOCAL AND COUNTY REQUIREMENTS. ALL DEVICES SHALL BE UL AND NEMA RATED AND APPROVED. INSTALL ARC FAULT RECEPTACLES IN BEDROOMS. INSTALL UL APPROVED SMOKE DETECTORS WITH DIRECT WIRING TO THE 110V AC DEDICATED CIRCUIT AND BATTERY BACKUP. INTERCONNECT DETECTORS PER THE MANUFACTURER'S SPECIFIC WRITTEN INSTRUCTIONS.
2. ELECTRICAL DISTRIBUTION PANEL SHALL BE LOCATED BY THE ELECTRICAL CONTRACTOR AND BY THE OWNER, WITHIN THE APPLICABLE CODE REQUIREMENTS. ALL ELECTRICAL FIXTURES, LIGHTING, CEILING FANS, VENTS, HOODS, HEATERS, ETC. SHALL BE OWNER APPROVED PRIOR TO INSTALLATION.
3. INSTALL TELEPHONE AND CABLE T.V. JACKS LOCATED BY OWNER. COORDINATE JACK LOCATIONS WITH THE INSTALLING CONTRACTOR. (INCLUDE ALL WIRE, CABLE, JACKS, BOXES, DEVICES, TERMINAL BLOCKS, ETC.) PROVIDE/INSTALL ATTIC LIGHT AND DUPLEX RECEPTACLE FOR ATTIC ACCESS.

**FIRST FLOOR PLAN - ELECTRICAL**

SCALE: 1/4"=1'-0"

A RESIDENCE FOR:		
MR. AND MRS. KENNETH JAMES		
28811 BERRY TODD ROAD, LACOMBE, LA		
SCALE: SHOWN	APPROVED BY:	DRAWN BY:
DATE: 7/26/2020		ANTHONY E. PONCETI
SHEET		DRAWING NUMBER:
7 / 7		
FLOOR PLAN, DOOR SCHEDULES AND NOTES		