


*APPLIES ONLY TO COMPACT PARKING SPACES. SEE COMPREHENSIVE ZONING ORDINANCE.

WHEN THE END OF PARKING STALL ABUTS THE RIGHT OF WAY LINE, OR SIDEWALK SERVITUDE LINE, USE DETAIL 'A' OR 'B'.

DETAIL 'A' OR 'B' WILL ALSO APPLY IN CASES WHEN PARKING STALL DOES NOT ABUT THE RIGHT OF WAY LINE OR SIDEWALK SERVITUDE LINE, BUT IS WITHIN 10 FEET OF SAID LINE.



COMMERCIAL PLAN OF DETAIL NO. 3

JEFFERSON PARISH DEPARTMENT OF ENGINEERING



TYPICAL SPACE REQUIREMENTS FOR SELF-PARKING AT VARIOUS ANGLES

TYPE	8-3-99	8-18-99	8-18-99	8-18-99
L.V.A.	08/26/97	08/26/97	08/26/97	08/26/97
L.V.A.	08/26/97	08/26/97	08/26/97	08/26/97
L.V.A.	08/26/97	08/26/97	08/26/97	08/26/97

AUTOCAD-LT. QWERTZ.DWG DETAIL-3.DWG (DETAIL-3)

SCALE: N.T.S.

PARKING STALLS MUST BE STRIPED WITH A FOUR (4) INCH CONTRASTING STRIPE (YELLOW ON CONCRETE AND YELLOW OR WHITE ON ASPHALT PARKING LOT).



NOTE:
FOR PRE POUR INSPECTION CALL THE DEPARTMENT OF ENGINEERING AT 736-6779 FOR APPOINTMENT.

COMMERCIAL PLAN OF DETAIL NO. 5

JEFFERSON PARISH DEPARTMENT OF ENGINEERING

HANDICAPPED REQUIREMENTS

TYPE	8-3-99	8-18-99	8-18-99	8-18-99
L.V.A.	08/26/97	08/26/97	08/26/97	08/26/97
L.V.A.	08/26/97	08/26/97	08/26/97	08/26/97
L.V.A.	08/26/97	08/26/97	08/26/97	08/26/97

AUTOCAD-LT. QWERTZ.DWG DETAIL-5.DWG (DETAIL-5)

SCALE: N.T.S.

PARKING SPACE REQUIREMENTS

NOTE:
PARKING SPACES FOR PHYSICALLY HANDICAPPED PEOPLE SHALL BE AT LEAST 8' WIDE AND SHALL HAVE AN ADJACENT ACCESS AISLE 5' WIDE MINIMUM (SEE FIG. A). PARKING ACCESS AISLE SHALL BE PART OF THE ACCESSIBLE ROUTE TO THE BUILDING OR FACILITY ENTRANCE. TWO ACCESSIBLE PARKING SPACES MAY SHARE A COMMON ACCESS AISLE. PARKED VEHICLE OVERHANGS SHALL NOT REDUCE THE CLEAR WIDTH OF AN ACCESSIBLE CIRCULATION ROUTE. ACCESSIBLE PARKING SPACES SHALL BE DESIGNATED AS RESERVED FOR PHYSICALLY HANDICAPPED PEOPLE BY A SIGN SHOWING THE SYMBOL OF ACCESSIBILITY. SUCH SIGNS SHALL NOT BE OBSCURED BY A VEHICLE PARKED IN THE SPACE.