



Quote



02/17/2025

Project:
Courtyard Bistro


From:
Associated Food Equip & Supplies
Brad Troxclair
5600 Jefferson Hwy
Bldg W3 STE308
Elmwood, LA 70123
228-896-0043
(504) 267-3211 (Contact)

Project Code: BRAD6243








Job Reference Number: Brad60907

Item	Qty	Description	Sell	Sell Total
	1 ea	DISHTABLE, SOILED "L" SHAPED Advance Tabco Model No. DTS-G70-48L Island-Soil Dishable, L-shaped, attaches to left of dish machine operator, 10-1/2"H backsplash one side, with pre-rinse sink, stainless steel legs, with crossrails, 47" long, 16/304 stainless steel	\$3,279.77	\$3,279.77
	1 ea	SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here		
	4 ft	DTA-79 Double Sided Slant Tubular Rack Sorting Shelf, table mounted (sold per linear foot) (minimum 4 ft), field convertible to allow racks to sit back to back (steeper angle) or one side or the other (lower angle), see spec sheet for details	\$218.06	\$872.24
			ITEM TOTAL:	\$4,152.01
	1 ea	DISHTABLE, WITH POTSINKS Advance Tabco Model No. DTC-3-1620-66L Dishable with 3-compartment Sink, 66"W, (3) 16" x 20" x 14" bowls, 16 gauge 304 stainless steel top, stainless steel legs & front-to-back crossrails, attaches to left of dish machine operator, stainless steel bullet feet, 6" left drainboard, bowls are located 12" from machine, NSF (must verify machine to make sure the control box does not interfere)	\$3,373.71	\$3,373.71
	1 ea	SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here		
	2 ea	DT-6R-21 Sorting Shelf, wall mounted, tubular design, 22"W, accommodates (1) full size dish rack, solid end brackets, stainless steel, KD	\$568.65	\$1,137.30
			ITEM TOTAL:	\$4,511.01
3	1 ea	DISHWASHER, DOOR TYPE, VENTLESS Custom Model No. UNKNOWN MODEL TO BE PROVIDED		
4	1 ea	BY OWNER Custom Model No. ICE MACHINE EXISTING ICE MACHINE BY OWNER ALL DIMENSIONS FOR FITMENT AND UTILITY SUBMITTALS ARE PROVIDED BY OTHER		





Item	Qty	Description	Sell	Sell Total
5	2 ea	HAND SINK Advance Tabco Model No. 7-PS-60 Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, with splash mounted heavy duty gooseneck faucet, basket drain, wall bracket, NSF, cCSAus		
				
EXISTING. ANY REQUIRED BRACKETS OR NEEDED PLUMBING FITTINGS WILL BE AT ADDITIONAL CHARGE OR BY OTHER				
6	1 ea	REFRIGERATOR, REACH-IN Custom Model No. G2000C TWO SECTION REACH IN OWNER PROVIDED		
6.1	1 ea	WORK TABLE, 12" - 21", STAINLESS STEEL TOP Custom Model No. EXISTING EXISTING WORK TABLE 18W X 30D		
7	1 ea	MOP SINK AFESCO Model No. FMS-20166 Mop Sink, floor mounted, 25"W x 21"D x 10"H (overall), 20"W x 16" front-to-back x 6" deep (bowl size), free flow drain with 2" IPS outlet, stainless steel construction	\$273.34	\$273.34
				
			ITEM TOTAL:	\$273.34
8	1 ea	SHELVING, WALL MOUNTED AFESCO Model No. WSS-1224 Wall-mounted, 24"W x 12"D x 10"H, 16/304 stainless steel, NSF, KD	\$75.00	\$75.00
				
			ITEM TOTAL:	\$75.00
9	1 ea	SHELVING UNIT, WIRE Custom Model No. SHELVING EXISTING SHELVING		
10	1 ea	REACH-IN FREEZER Atosa USA, Inc. Model No. MBF8002GR Atosa Freezer, reach-in, two-section, 51-7/10"W x 31-7/10"D x 81-3/10"H, top mount self-contained refrigeration, 43.2 cu ft., (2) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®	\$3,541.00	\$3,541.00
				
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	Extended warranty to a 5 year parts & labor warranty with 5 year compressor part warranty (continental USA only) (NET)	\$561.40	\$561.40
			ITEM TOTAL:	\$4,102.40
11	1 ea	REACH-IN REFRIGERATOR Atosa USA, Inc. Model No. MBF8004GR Atosa Refrigerator, reach-in, one-section, 28-7/10"W x 31-7/10"D x 81-3/10"H, top mount self-contained refrigeration, 21.4 cu. ft. (1) locking hinged solid door, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®	\$2,002.00	\$2,002.00
				
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	MPRA-15 Refrigerator / Freezer Pan Rack, 23-5/8"W x 20-3/8"D x 50-1/2"H, accommodates (15) 18" x 26" full size sheet pans or (30) 1/2 size sheet pans, 500 lbs total weight capacity, aluminum construction, NSF	\$153.90	\$153.90
			ITEM TOTAL:	\$2,155.90

Item	Qty	Description	Sell	Sell Total
12	1 ea	BAG IN BOX Custom Model No. BAG IN BOX Bag in Box Rack		
13	1 ea	CONVECTION OVEN, GAS  Southbend (Middleby) Model No. PCG100S/SD (QUICK SHIP) (MIDDLEBY ESSENTIALS ITEM) Platinum Double Convection Oven, Gas 50,000 BTU's each, Standard Depth, Standard Controls, Dependent Doors ENERGY STAR®	\$9,311.70	\$9,311.70
	1 ea	Domestic Shipping, inside of North America		
	1 ea	Standard (1) year limited parts and labor warranty (reference warranty document for details)		
	1 ea	1 year parts & labor including doors warranty, std		
	1 ea	Natural Gas		
	1 ea	6" Casters in lieu of legs	\$477.85	\$477.85
	2 ea	Krowne M7548K Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity	\$162.67	\$325.34
			ITEM TOTAL:	\$10,114.89
14	1 ea	EQUIPMENT STAND, REFRIGERATED BASE Custom Model No. EQUIPMENT BASE 51X30 EXISTING REFRIGERATED EQUIPMENT BASE		
15	1 ea	GRIDDLE, GAS, COUNTERTOP Custom Model No. ADCRAFT 36" GRIDDLE. EXISTING.		
	1 ea	Krowne M7548K Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity	\$162.67	\$162.67
			ITEM TOTAL:	\$162.67
15.1	1 ea	HOTPLATE, COUNTERTOP, GAS  Atosa USA, Inc. Model No. ACHP-4 CookRite Hotplate, counter top, gas, 24"W x 27-3/5"D x 13-1/10"H, (4) 32,000 EXISTING BY OTHER		
	1 ea	Krowne M7548K Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity	\$162.67	\$162.67
			ITEM TOTAL:	\$162.67
16	1 ea	EQUIPMENT STAND, REFRIGERATED BASE Custom Model No. EQUIPMENT BASE 48X32 EXISTING REFRIGERATED EQUIPMENT BASE		
16.1	1 ea	HOTPLATE, COUNTERTOP, GAS  Atosa USA, Inc. Model No. ACHP-4 CookRite Hotplate, counter top, gas, 24"W x 27-3/5"D x 13-1/10"H, (4) 32,000 BTU burners, manual controls, standby pilots, cast iron grates, stainless steel crumb tray, stainless steel structure, adjustable stainless steel legs, 128,000 BTU, cETLus, ETL-Sanitation	\$673.00	\$673.00
	1 ea	1 year parts & labor warranty (continental USA only)		
	1 ea	Gas type to be specified		
	1 ea	Krowne M7548K Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity	\$162.67	\$162.67
			ITEM TOTAL:	\$835.67

Item	Qty	Description	Sell	Sell Total
17	1 ea	GAS FLOOR FRYER Admiral Craft Equipment Corp. Model No. BDGF-120/NG EXISTING BY OWNER		
				
	1 ea	Krowne M7548K Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity	\$162.67	\$162.67
			ITEM TOTAL:	\$162.67
18	1 ea	WORK TABLE, 30" - 35", STAINLESS STEEL TOP Custom Model No. OWNER PROVIDED 30x24 work table EXISTING BY OWNER		
19	1 ea	ONE (1) COMPARTMENT SINK AFESCO Model No. 1C-1818-12 Sink, 1-compartment, (1) 18"W x 18" front-to-back x 12" deep sink compartment, no drain boards, 18 gauge stainless steel, stainless legs, adjustable s/s feet, NSF	\$563.33	\$563.33
				
			ITEM TOTAL:	\$563.33
20	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Atosa USA, Inc. Model No. MSF8308GR EXISTING BY OWNER		
				
20.1	1 ea	SANDWICH / SALAD PREPARATION REFRIGERATOR Atosa USA, Inc. Model No. MSF8302GR EXISTING BY OWNER		
				
21	1 ea	WORK TABLE, STAINLESS STEEL TOP AFESCO Model No. WTSS-3048 Work Table, 48"W x 30"D x 34"H, 16/430 stainless steel top with turned down edges, 18/430 stainless steel adjustable undershelf & legs, adjustable bullet feet, NSF, KD	\$246.00	\$246.00
				
			ITEM TOTAL:	\$246.00
21.1	1 ea	WAFFLE MAKER / BAKER Admiral Craft Equipment Corp. Model No. BWB-7/R Belgian Waffle Maker, 7" round grids, 1-1/4" thick waffles, cook 20 waffles per hour, stainless steel body, cast aluminum non-stick coated grids, temperature range 250° to 425° F, 180° rotating hinge, digital timer with buzzer, lighted on/off switch, includes: removable stainless steel drip pan, 120v, 1080 watts, 9 amps, 5" power cord with NEMA 5-15P, CE	\$370.18	\$370.18
				
	1 ea	1 year warranty on parts & labor, standard		
			ITEM TOTAL:	\$370.18
21.2	1 ea	FOOD PAN WARMER, COUNTERTOP AFESCO Model No. EWF-FS2012 Food Warmer, electric, 22-1/2"W x 14-5/8"D x 9-3/8"H (overall dimensions), countertop, 20" x 12" standard opening, fits most full-sized pans up to 6" deep, dial control with (3) temperature settings: low, medium, & high (140°, 170°, & 200°F), stainless steel body, 120v/60/1-ph, 10 amp, 1200W, cETLus, ETL- (1 year replacement warranty)	\$166.67	\$166.67
				

Item	Qty	Description	Sell	Sell Total
			ITEM TOTAL:	\$166.67
22	2 ea	OVERSHELF Advance Tabco Model No. DCM-18-84 Shelf, ceiling mounted, double-deck, 84"W x 18"D, 1-5/8" posts run to the ceiling, adjustable top shelf, stainless steel, load capacity 5 lb. per sq. ft. (evenly distributed), specify working height & ceiling height	\$2,863.77	\$5,727.54
			ITEM TOTAL:	\$5,727.54
23	1 ea	HEAT LAMP Nemco Food Equipment Model No. 6150-60 Bar Heater, 60" x 6-3/4" x 2-3/4", infrared heating element, EXISTING BY OWNER CONNECTIONS AND MOUNTING BY OTHER		
	1 ea	INSTALLATION AND HOOK UP BY OTHER.		
25	1 ea	BEVERAGE COUNTER BK Resources Model No. BEVT-3072R Beverage Table, 72"W x 30"D, 14" x 10" sink on right with BKF-4DM-3G-G gooseneck faucet, 14 gauge stainless steel top, 18 gauge stainless steel body, built-in 36" urn trough with drain, (1) hinged door under sink, (1) adjustable shelf, 5" riser backsplash with standard electric outlet, stainless steel legs, NSF (3-10 day lead time)	\$3,102.07	\$3,102.07
			ITEM TOTAL:	\$3,102.07
25.1	1 ea	SODA Custom Model No. SODA Soda Dispenser		
26	1 ea	COFFEE Custom Model No. COFFEE coffee		
27	1 ea	TEA Custom Model No. TEA tea		
28	1 ea	ESPRESSO CAPPUCCINO MACHINE Custom Model No. ESPRESSO BY OTHER		
29	1 ea	GLASS RACK BK Resources Model No. UB4-21-GC241 Underbar Glass Rack Unit, drainboard top, 24"W x 21"D x 32-1/2"H, open front base, adjustable shelf, 18/304 stainless steel top with 3" backsplash & 1" NPS drain (BKDR-15CP), stainless steel legs, adjustable high impact corrosion resistant feet, NSF	\$603.98	\$603.98
	1 ea	1 year warranty, standard		
			ITEM TOTAL:	\$603.98
30	1 ea	UNDERBAR SINK UNITS BK Resources Model No. UB4-18-1014HS Underbar Dump Sink, 14-1/2"W x 18-1/4"D x 32-1/2"H overall size, 10" wide x 14" front-to-back x 6" deep bowl, 4" OC splash mount faucet holes, 18/304 stainless steel top, stainless steel legs & bracing, adjustable high impact corrosion resistant feet, NSF	\$358.32	\$358.32
			ITEM TOTAL:	\$358.32
31	1 ea	ICEBIN		

Item	Qty	Description	Sell	Sell Total
		Custom Model No. COCA COLA TBD Ice Bin with cold plate		
32	1 ea	BOTTLE STORAGE UNIT BK Resources Model No. UB4-18-LD18 Underbar Liquor Bottle Display Unit, 18"W X 18-1/4"D x 32-1/2"H, (4) steps with guard rail, approximately (20) bottle capacity, 18/304 stainless steel construction, 1-5/8" diameter stainless steel legs & side crossbracing, adjustable plastic bullet feet, NSF	\$582.07	\$582.07
			ITEM TOTAL:	\$582.07
33	1 ea	UNDERBAR SINK UNITS BK Resources Model No. UB4-21-1012HST-12-PG Underbar Dump Sink, 12"W x 21-1/4"D x 32-1/2"H overall size, 12" front-to-back compartment, 4"H backsplash, 4" OC splash-mounted, includes: faucet (BKF-W2-3G-G), strainer basket, soap dispenser (BK-UCSD-1), basket drain (BKDR-2) & towel dispenser, 18/304 stainless steel construction, stainless steel legs & bracing, adjustable high impact corrosion resistant feet, NSF	\$774.83	\$774.83
	2 ea	BKUB-SS21 Side Splash, 21", removable, 16/304 stainless steel, fits 21" underbar equipment	\$31.18	\$62.36
			ITEM TOTAL:	\$837.19
34	1 ea	OWNER PROVIDED Custom Model No. EXISTING		
38	1 ea	BACK BAR CABINET, REFRIGERATED Atosa USA, Inc. Model No. MBB90GR Atosa Back Bar Cooler, three-section, 89-3/10"W x 28-1/10"D x 40-1/8"H, self-contained side mount refrigeration, 30.1 cu. ft., (3) locking solid doors, electronic temperature controller, (6) epoxy coated shelves, stainless steel interior & exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.8 amps, cETLus, ETL-Sanitation	\$2,706.00	\$2,706.00
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	Extended warranty to a 5 year parts & labor warranty with 5 year compressor part warranty (continental USA only) (NET)	\$447.37	\$447.37
			ITEM TOTAL:	\$3,153.37
40	1 ea	SHELVING UPRIGHT Custom Model No. OWNER PROVIDED		
40	1 ea	WORK TABLE, STAINLESS STEEL TOP Custom Model No. CUSTOM 72X30 EXISTING WORK TABLE WAS PREVIOUSLY PASS. REMOVAL OF OVERSHELF BY OTHER		
41	1 ea	DISH CABINET Advance Tabco Model No. EDC-1560-X Special Value Dish Cabinet, 60"W x 15"D x 35-1/2"H, 18 gauge stainless steel top & body, open base with mid-shelf, stainless steel gusset, legs & feet, NSF	\$1,086.67	\$1,086.67
			ITEM TOTAL:	\$1,086.67
42	1 ea	PLANETARY MIXER Admiral Craft Equipment Corp. Model No. BDPM-20 Black Diamond Planetary Mixer, 20 qt., 3-speed, gear driven transmission, #12 attachment hub, manual 60-minute timer, stainless steel wire bowl guard, includes: stainless steel mixing bowl with clamps, wire whisk, dough hook, & flat beater attachments, rubber feet, 1-1/2 HP, 120v/60/1-ph, 1.1kW, 9.0 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation	\$956.65	\$956.65
	1 ea	1 year limited warranty, (contact factory for details)		

Item	Qty	Description	Sell	Sell Total
			ITEM TOTAL:	\$956.65
43	1 ea	EQUIPMENT STAND, FOR MIXER / SLICER Advance Tabco Model No. AG-MT-242-X Special Value Equipment Stand, 24"W x 24"D x 24"H, 430 stainless steel top, galvanized adjustable undershelf, galvanized legs with adjustable plastic bullet feet, NSF	\$346.67	\$346.67
				
			ITEM TOTAL:	\$346.67
44	1 ea	OPEN DISPLAY MERCHANDISER Atosa USA, Inc. Model No. AOM-50B Open Air Merchandiser, 51-2/5"W x 28"D x 83"H, 16.5 cubic capacity, (4) shelves, full electronic controller, LED lighted header panel, LED lighting per shelf and interior top, pull down night curtain, stainless steel interior, black exterior, 4" casters, R-290 natural refrigerant, 1HP, 120v/60/1-ph, 18.5 amps, cord with NEMA 5-20P, 1600 watts, cETLus, ETL-Sanitation	\$8,627.00	\$8,627.00
				
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	Extended warranty to a 5 year parts & labor warranty with 5 year compressor part warranty (continental USA only) (NET)	\$533.33	\$533.33
			ITEM TOTAL:	\$9,160.33
45	1 ea	EXHAUST HOOD Custom Model No. ACCUREX Item: Exhaust Only Wall Canopy Hood Quantity: 1 Performance: Kh-1 1 Exhaust Only Wall Canopy Hood w/ ASP XBEW-179.00-S Fire-1 1 Fire Suppression System FSSC - 15 - 2 Fire-1, Gas Valve 1 Gas Valve GAS VALVE Fire-1, Field Hook-up 1 Fire Field Hook-up FIELD HOOK-UP Kef-1A 1 Exhaust Fan XCUE-160-VG Kef-1A, Roof Curb 1 Roof Curb GPIP-26-G12 Kef-1B 1 Exhaust Fan XCUE-160-VG Kef-1B, Roof Curb 1 Roof Curb GPIP-26-G12 Ksf-1 1 Fan XKID-16-M2-VG Ksf-1, Roof Curb 1 Roof Curb GPIP-24-G12 Elec.-1 1 Accurex Kitchen Controls - Constant Volume XKC-CV-S-21-2-1-0 Section 1: Exhaust (CFM): MUA (CFM): 2,050 1,734 Section 2: Exhaust (CFM): MUA (CFM): 2,050 1,546 Dimensions: Hood: Supply Plenum (Front): Collar(s): Exhaust: MUA: 89.5" L x 54" W x 24" H 101.5" L x 18" W x 4" H	\$31,590.56	\$31,590.56

Item	Qty	Description	Sell	Sell Total
		(1) 9" W x 20" L		
		(2) 16" W x 30" L		
		Hood:		
		Supply Plenum (Front):		
		Collar(s):		
		Exhaust:		
		MUA: 89.5" L x 54" W x 24" H		
		90.5" L x 18" W x 4" H		
		(1) 9" W x 20" L		
		(2) 16" W x 30" L		
		Configuration:		
		Performance Enhancing Lip (P.E.L.) for up to 31% Lower Exhaust Rates		
		Sloped Grease Trough with Enclosed Grease Cups per NFPA 96 Requirements		
		Material - 430 SS Where Exposed		
		UL 710 Listed w/ out Exhaust Fire Damper		
		Filter - Baffle - Stainless Steel		
		Lights - Globe Light Fixtures (bulbs not included) (8)		
		Factory Mounted Exhaust Collar(s)		
		Factory Mounted Supply Collar(s)		
		Continuous Capture for Multi-Section Hoods		
		Factory Mounted 3" Back Airspace		
		Factory Mounted 1" Right Zero Clearance Airspace with Finished End		
		Utility / Fire Cabinet Mounted on Left		
		Accessories:		
		Air Curtain Supply (ASP) Front with Dampers		
		Stainless Steel Backsplash Panel 80" High 192" Long		
		Stainless Steel Backsplash Panel on Right 80" High 54" Long		
		18 in. High Ceiling Enclosures on - Left Front Right		
		Mark: Fire-1 Model: FSSC - 15 - 2		
		Item: Fire Suppression System Quantity: 1		
		Scope:		
		Pre-Pipe With Parts and Factory Coordinated Installation		
		Hood Fire Suppression System		
		Detection Type Mechanical		
		Coverage Appliance Specific		
		Hood Mark(s) Connected Kh-1		
		Kh-1		
		Mounting Location Utility cabinet on hood (see hood submittal for more visual detail)		
		System Size 6 Gallon		

Item	Qty	Description	Sell	Sell Total
		Flow Points Maximum of 22 and 15 are utilized.		
		Options and Accessories for Hood Fire System Provided from Factory OEM Regulated Release Assembly QTY of 1 3 Gallon Tank Assembly QTY of 2 Gas Valve 2", mechanical Manual Pull Stations QTY of 1 Hood Microswitch QTY of 1 Alarm Initiating Switch QTY of 1 Metal Blow Off Caps Included		
		Important Notes		
		<ul style="list-style-type: none"> • The manner in which the parts included in the scope of this fire system are supplied may vary. They could be shipped from the fire suppression manufacturer, shipped loose with the hood, connected directly to the hood, or supplied directly to the installing distributor. • Systems are pre-piped for a specific appliance line-up. If appliance types and sizes differ from what is shown on the hood submittal, this may result in a field re-pipe which is outside the scope defined here. • If the collars on the hood are shipped loose, the detection line will not be installed on the hood and the parts will ship loose. 		
		Mark: Fire-1, Gas Valve Model: GAS VALVE Item: Gas Valve Quantity: 1		
		Configuration: Ansul Mechanical 2 in.		
		Mark: Fire-1, Field Hook-up Model: FIELD HOOK-UP Item: Field Hook-up Quantity: 1		
		Labor Information:		
		Hook-up of detection line and supply line is included. Surface mounting of the manual pull station in a pre-determined location is included. Charging and arming of the system is included. Permit included Hood Puff Test Fee Included		
		Items which may be supplied by the factory, but are not installed or hooked-up by the factory OR the installing distributor:		
		Gas valve (not applicable for PCU) Microswitch(es) Remote mounted cabinets, enclosures, or tank brackets		

Item	Qty	Description	Sell	Sell Total
		Not included unless explicitly stated elsewhere in the quote as included:		
		Special, signed, or sealed drawings required to satisfy a state or local code		
		Parts or labor required to correct piping due to cooking equipment changes or deviation from approved drawings		
		More than two trips to the jobsite, special transportation, or overnight lodging requirement in remote areas. Typical travel distance is defined as the first 50 miles from the distributor's office.		
		A shut-off device (e.g. shunt-trip breaker) for electric cooking equipment		
		All electrical connections required to shut down fan(s), electric cooking equipment, activate an alarm system, etc. aside from what is explicitly stated as "factory-wired" in the Accurex control's scope (if provided)		
		Installation of the gas shut-off valve		
		Pre-test		
		Full dump test or any other system test requirement outside of a standard puff test		
		Special classes or additional labor for access to security sensitive areas		
		Union labor, government labor, or prevailing wages required for field hook-up		
		Any dismantling or reassembly required where access to the fire suppression piping has been blocked		
		Plan examination fees		
		Rough-in conduit for remote pull station (for flush mounted pull station) or gas valve		
		Additional remote pull stations beyond the quantity specified in the submittals		
		Mark: Kef-1A Model: XCUE-160-VG		
		Item: Exhaust Fan Quantity: 1		
		Performance:		
		Volume (CFM):		
		SP (in. wg):		
		FRPM (RPM):		
		Motor Power (hp):		
		Operating Power (hp):		
		Voltage:		
		Phase:		
		Hertz: 2,050		
		1		
		1167		
		3/4		
		0.57		
		208		
		1		
		60 Cycle		
		Configuration:		
		Direct Drive Fan		
		Motor - High Efficiency Brushless DC - 3/4 hp , ODP, 208/60/1, 1200 rpm - Factory Mounted		
		Motor - Vari-Green EC motor		
		Control – 0-10VDC Input, (no control provided, signal supplied by others)		
		UL/cUL 705 Listed - Supplement SC - "Power Ventilators for Restaurant Exh. Appliances" (Formerly UL 762)		
		Switch, NEMA-3R, Toggle,		
		Junction Box Mounted & Wired		
		Hinge, Factory Installed		
		Grease Trap (PN 475538)		

Item	Qty	Description	Sell	Sell Total
		Unit Warranty: 1 Yr (Standard)		
		Accessories: Curb Extension-Galv., VCE-26-G14, Shipped Loose From Factory High Temp Curb Seal Rated for Continuous Duty at 1500 F (Factory Attached)		
		Mark: Kef-1A, Roof Curb Model: GPIIP-26-G12 Item: Roof Curb Quantity: 1		
		Dimension: Tag Quantity Width Length Height Kef-1A, Roof Curb 1 26 26 12		
		Configuration: Pitched Roof, Welded with Insulation Material - Galvanized Nominal Curb Size		
		Mark: Kef-1B Model: XCUE-160-VG Item: Exhaust Fan Quantity: 1		
		Performance: Volume (CFM): SP (in. wg): FRPM (RPM): Motor Power (hp): Operating Power (hp): Voltage: Phase: Hertz: 2,050 1 1167 3/4 0.57 208 1 60 Cycle		
		Configuration: Direct Drive Fan Motor - High Efficiency Brushless DC - 3/4 hp , ODP, 208/60/1, 1200 rpm - Factory Mounted Motor - Vari-Green EC motor Control – 0-10VDC Input, (no control provided, signal supplied by others) UL/cUL 705 Listed - Supplement SC - "Power Ventilators for Restaurant Exh. Appliances" (Formerly UL 762) Switch, NEMA-3R, Toggle, Junction Box Mounted & Wired Hinge, Factory Installed		

Item	Qty	Description	Sell	Sell Total
		Grease Trap (PN 475538) Unit Warranty: 1 Yr (Standard)		
		Accessories: Curb Extension-Galv., VCE-26-G14, Shipped Loose From Factory High Temp Curb Seal Rated for Continuous Duty at 1500 F (Factory Attached)		
		Mark: Kef-1B, Roof Curb Model: GPIIP-26-G12 Item: Roof Curb Quantity: 1		
		Dimension: Tag Quantity Width Length Height Kef-1B, Roof Curb 1 26 26 12		
		Configuration: Pitched Roof, Welded with Insulation Material - Galvanized Nominal Curb Size		
		Mark: Ksf-1 Model: XKID-16-M2-VG Item: Exhaust Fan Quantity: 1		
		Performance: Volume (CFM): SP (in. wg): FRPM (RPM): Motor Power (hp): Operating Power (hp): Voltage: Phase: Hertz: 3,280 0.6 1373 2 0.88 208 1 60 Cycle		
		Configuration: Direct Drive Fan Motor - High Efficiency Brushless DC - 2 hp , TENV, 208/60/1, 1550 rpm - Factory Mounted Motor - Vari-Green EC motor Control – 0-10VDC Input, (no control provided, signal supplied by others) UL/cUL 705 Listed - "Power Ventilators" Switch, NEMA-3R, Toggle, Shipped with Unit Aluminum Mixed Flow Wheel		

Item	Qty	Description	Sell	Sell Total
		Unit Warranty: 1 Yr (Standard)		
		<p>Mark: Ksf-1, Roof Curb Model: GPIIP-24-G12 Item: Roof Curb Quantity: 1</p> <p>Dimension: Tag Quantity Width Length Height Ksf-1, Roof Curb 1 24 25.25 12</p> <p>Configuration: Pitched Roof, Welded with Insulation Material - Galvanized Nominal Curb Size</p>		
		<p>Mark: Elec.-1 Model: XKC-CV-S-21-2-1-0 Item: Accurex Kitchen Controls - Constant Volume Quantity: 1</p> <p>Performance: Exhaust Fan(s): Supply Fan(s): 2 1</p> <p>Dimension: Mounting Location: Mark: Touchscreen Mounting: Mark: Utility Cabinet on Hood - Left Kh-1 Utility Cabinet - Left End of Hood Kh-1</p> <p>Configuration: UL/ULC Listed Material - 300 SS Enclosure Capture tank mounted temperature sensors with up to 5 times faster response Full Color Touchscreen Control Interface Exhaust Max During Fire Power For Shunt Trip Temperature Interlock - Automatically starts fans when cooking occurs in compliance with IMC Temperature Sensors Installed (2) Additional Fire Contacts (2 NO, 2 NC Total) Lights Off During Fire Hood Light Control</p> <p>Accessories: Touchscreen Cable (7 ft)</p>		

Item	Qty	Description	Sell	Sell Total
1 ea		LABOR FOR INSTALLATION LABOR FOR INSTALLATION OF HOODS AND EXHAUST FANS ARE BY OTHER. QUOTE CAN BE PROVIDED		
			ITEM TOTAL:	\$31,590.56
			Merchandise	\$85,559.83
			Freight	\$2,000.00
			Deliver and set in place	\$5,000.00
			Total	\$92,559.83

Deliver, uncrate, set in place, remove all packing materials , install casters and legs on equipment as applicable, set ice maker head on bin, z-clip 3 compartment and tables with sinks to wall and caulk around backsplash, install wall mount shelves and over shelves on equipment, hang wall shelves where applicable, dry storage and scullery, hang mop/broom holder. install legs and casters on equipment as required.

EXCEPTIONS

- * All electrical, mechanical & plumbing connections by others
- * Hanging of all hand sinks and install of same is by others
- * All fitting for electrical, mechanical & plumbing connects is by others
- * All Wall Blocking to hand wall shelves, pot racks , sinks, etc. by others
- * Wall blocking to be 3/4" plywood at 50" - 74" AFF High (Length determined by shelving)
- * All permits are by others

Project Sales and Payment Policy:

Requires a copy of the signed quotation, a 50% deposit, a 40% progress payment due prior to delivery of equipment and the 10% balance due Net 7 upon completion of the KEC scope of work.

Credit Card Payments ≥ All credit card payments will have a 3% processing fee added to the total.

Return Items ≥ Any customer approved ordered equipment or small wares will be subject to the manufacturer's approval, re-stocking fee and cost of return freight.

Additional Days Charges ≥ KEC has allotted 5 Days for the delivery, un-crating, set in place of Kitchen and Bar Equipment as per KEC Scope of Work. Any delays due to other contractors (for any reason,) unable to complete their scope of work, acts of God or any owner changes will be billed to the owner at a rate of \$1800.00 dollars per day to complete this job.

Owner's Acknowledgment Initials : _____ **Date:** _____

Title to all merchandise remains with Associated until paid in full. Associated retains the right to retrieve equipment that is determined to be in default. Unpaid and/or past due balances constitute a default on the part of the purchaser. In the event of a default the purchaser is subject to reasonable collection costs, attorney fees and court costs. Unpaid or past due balances are subject to a 1.5% monthly charge. A service charge of \$35.00 will be applied to all checks returned by our bank. Credit Card payments require Associated Management approval.

AFESCO thanks you for the opportunity to provide pricing. Please carefully review the quoted equipment, finishes, and accessories. Unless otherwise stated, freight and sales tax are not included and will be assessed as applicable. Potential future requests for order modifications, returns, or cancellations will be considered at the sole discretion of AFESCO and will follow the individual manufacturer's return and restocking policy.

Unless otherwise specified by contract, requests for payment terms will require a credit application, and credit card payments will result in a 3% processing fee. Approval of this quote indicates full acceptance of these terms and authorizes AFESCO to order the equipment as quoted.

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$92,559.83