FILE NAME: J:_ RESTAURANT\Courtyard Bistro\Kitchen Hood\S1-1 - 5-15-2025 - Kitchen Hood Support Plan.dwg PLOT DATE & TIME: Monday, June 23, 2025, 2:41:51 PM

STEEL FRAMING NOTES

1. UNLESS OTHERWISE SPECIFIED, ANGLES AND MISCELLANEOUS STIFFENER PLATES SHALL BE ASTM A 36; THREADED RODS, NUTS AND WASHERS SHALL CONFORM TO ASTM A307 Grade A WITH TENSILE STRENGTH (E.G., 60,000 PSI).



1 HOOD(S) PLAN VIEW
SCALE: 3/8" = 1'-0"



A S1 S1 CROSS SECTION
SCALE: 3"=1'-0"



B S1 S1 CROSS SECTION
SCALE: 3"=1'-0"

DAMMON ENGINEERING, INC.
LOUISIANA & MISSISSIPPI
www.dammonengineering.com
info@dammonengineering.com
PH: 985.649.3832
Chief Engineer: Brian Mistich, PE
5567 Oak Forest Trail
Slidell, LA 70458

REVISIONS

#	DESCRIPTION	DATE

SEAL:



These plans and specifications are and shall remain the property of Dammon Engineering and shall not be used in whole or part for any other project without the written authorization of Dammon Engineering. Visual contact with these plans and specifications shall constitute prima facie evidence of the acceptance of these restrictions.

COURTYARD BISTRO - KITCHEN HOOD SUPPORT

DRAWN BY: BAM
JOB No: DPD
DATE: 5/15/2025
CHECKED BY:

SHEET TITLE:
HOOD STRUCTURAL PLAN

DRAWING NUMBER:
S1

SHEET No: 1 of #1